

Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

PHONE (800) ALANJAY (252-6529) **DIRECT 863-385-9610** WWW.ALANJAY.COM 23413-1 Corporate 2003 U.S. 27 South P.O. BOX 9200 MOBILE 904-838-4999 Mailing Office Address Sebring, FL 33870 FAX 863-402-4221 Sebring, FL 33871-9200

ORIGINAL QUOTE DATE

QUICK QUOTE SHEET

REVISED QUOTE DATE

11/21/2019 11/21/2019 REQUESTING AGENCY PINELLAS PARK, CITY OF **NEIL SMITH** nsmith@pinellas-park.com CONTACT PERSON **EMAIL** 727-369-5734 PHONE MOBILE 727-214-7836 FAX www.flsheriffs.org FLORIDA SHERIFF'S ASSOCIATION BID #'s FSA19-VEL27.0 CG33503 38 MODEL **SPECIFICATION #** 2020 CHEVY EXPRESS COMMERCIAL 3500 SRW CUTAWAY 139"WB NA PAGE# 9,900 GVWR (CG33503) **CUSTOMER ID** BASE DISTRICT PRICE \$21.014.72 139"WB **BED LENGTH** ** All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order. **FACTORY OPTIONS DESCRIPTION** EXTERIOR COLOR SUMMIT WHITE WITH MEDIUM PEWTER VINYL INTERIOR \$0.00 GA7 93W L96 MYD 6.0L VORTEC V8 ENGINE WITH 6-SPD AUTOMATIC TRANSMISSION. \$994.00 \$86.00 Wheels, painted Black in lieu of standard Gray painted wheels 5G0 Headliner delete with (9T7) right-hand door delete 8T2 \$0.00 9J6 Steering column, tilt \$147.00 9T7 Door, passenger side delete, Upfitter option \$0.00 Airbag, frontal, driver side only \$0.00 School Bus Package chassis equipment with (UJ1) brake warning indicator (Requires (D28) outside mirror delete, (C4M) B3D \$609.00 9.900 lb. (4490 kg) GVWR, (C7A) 10,000 lb. (4536 kg) GVWR, (JFF) 10,100 lb. (4581 kg) GVWR or (C7N) 12,300 lb. (5579 kg) GVWR and (ZX1) driver-only high-back bucket seating arrangement or (ZP1) temporary driver only Upfitter option seating. Not available with the (L96) Vortec 6.0L V8 SFI engine or (LC8) 6.0L V8 SFI gaseous engine with the (C7A) 10,000 lb. (4536 kg) GVWR. Includes (ENC) HVAC system auxiliary rear heat provisions, (KW5) 220 amp alternator, (TP3) dual batteries (770 cca primary and 770 cca isolated) and (9L7) equipment accessory wiring junction block, (D31) inside rearview manual day/night mirror or (DRJ) inside rearview mirror with rear vision camera display, (U05) dual note horn and (V4D) stop/turn signal circuits. Not available with (DE2) outside manual Black mirrors, (DHC) outside wide-stance sail panel mounted mirrors, (AU3) power door locks, (ASF) roof-rail airbags, (ZQ2) Power Convenience Package, (YF2) Ambulance Package, (YF1) RV Package or (ANC) Shuttle Bus Package.) 3500 DRW 139" WB Cutaway Chassis 12,300 GVWR (Cutaway Chassis are incomplete vehicles. Certification as C7N \$549.00 completed and final PDI by dealer required pursuant to manufacturer guidelines and state statutes.)(REQUIRES BODY) Seating arrangement, driver-only high-back bucket, adjustable \$0.00 TP3 Battery, 770 cold-cranking amps primary, isolated 2nd heavy-duty \$0.00 **FACTORY OPTIONS** \$2,385.00

DESCRIPTION

CUSTOMER WILL HANDLE THEIR OWN TAG WORK

CONTRACT OPTIONS

NO-TEMP

\$0.00



FLORIDA SHERIFF'S ASSOCIATION BID #'s FSA19-VEL27.0

www.flsheriffs.org

\$36,470.00

FTS 14 PASS 2020 MICRO BIRD 14-PASSENGER MULTI-FUNCTION SCHOOL ACTIVITY BUS.

MFSAB

DASH HVAC
DUAL BATTERIES

DRIVER'S RUNNING BOARD FRONT END ALIGNMENT

AM/FM/MP3 PLAYER WITH FOUR SPEAKERS IN BODY

EXTERIOR PAINT WHITE INTERIOR GRAY 76" HEADROOM STEEL BODY FRAME

TINTED SPLIT SASH WINDOWS

7 36" SCHOOL BUS SEATS WITH SEAT BELTS, GRAY UPHOLSTERY

BARRIERS, LH/RH, GRAY UPHOLSTERY

GRAY RUBBER FLOORING LED EXTERIOR LIGHTS INTERIOR DOME LIGHTS LED STEPWELL LIGHT

ROOF HATCH / EMERGENCY EXIT

LOCKING REAR EMERGENCY DOOR WITH AJAR BUZZER AND TRANSMISSION INTERLOCK

BACK UP ALARM

BACK UP CAMERA WITH MONITOR BUILT INTO MIRROR

CHILD REMINDER SYSTEM POWER ENTRANCE DOOR EXTERIOR SIDE MIRRORS

RIGHT AND LEFT HOOD MOUNTED CROSS VIEW MIRRORS

10 x 30" INTERIOR MIRROR

67,000 TOTAL BTU ACC REAR AIR CONDITIONING SYSTEM

20,500 UNDERSEAT REAR HEATER

FIRE EXTINGUISHER, FIRST AID KIT, TRIANGULAR WARNING DEVICE KIT

DELIVER

EWD

EXTENDED WARRANTY DECLINED.

\$36.470.00

\$0.00

CONTRACT OPTIONS

TOTAL COST

\$59,869.72

\$0.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~

QTY

1

\$59,869.72

Estimated Annual payments for 60 months paid in advance: \$13,408.35

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments

TRADE IN

VEHICLE QUOTED BY

CHRISTY SELF


GOVERNMENT ACCOUNT MANAGER christy.self@AlanJay.com

TOTAL COST LESS TRADE IN(S)

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.



SEAT	DIM.	SIDE	QTY	LEG	
SH	36	LH	4	*	
SH	36	RH	3	*	
Seat spacing =	See drawing		D.	O.D.:	32*
APPRO	VED C	ONFIG	URAT	IONS	
Total ambulatory	8	Tot	al whe	el cha	air

Seat spacing =	See drawing	D.	O.D.:	32"	
APPRO	VED CON	FIGURAT	IONS		l
Total ambulatory passengers :	14	Total whe	eel chai ngers :		l
Load cap. (pass	. + cargo):	930	kq :	2050 lbs	ı

Customer

Approval:

Α	2016/09/07	JD	DRAWING CREATION
REV.	YYYY/MM/DD	BY	DESCRIPTION
Stock Numbe	er:		

Drawn by: J DAIGLE	MICRO BIRD
model: UG	K5 1NH WSN

SCALE = DO NOT SCALE

Date:

Drawing no. UNIT = INCHES

FP8332A NUTE: Any option added to this floorplan shall be approved by the Corporation Micro Bird inc technical departement.

MICRO BIRD® G5 - MFSAB



Versatile transportation for up to 30 passengers

Multi-Function School Activity Bus Built to FMVSS/CMVSS School bus construction for your peace of mind



Integrated child seats and 3-point lap and shoulder seat belts are available for enhanced safety and versatility.



Maximum visibility of loading zone is provided by fullyglassed entrance door and unobstructed "More-View" window.

Standard 32" electric double-opening door.



LED clearance lights, direction lights and stop lights are standard equipment offering enhanced safety, while reducing operating and maintenance costs.



Also Available:

Special needs Micro Bird with double-leaf wheelchair doors offer protection on both sides of the lift, thus adding to passenger safety, while offering superior weather seal and door strength.









MICRO BIRD® G5 MFSAB - SPECIFICATIONS

BODY DIMENSIONS		Chevy/GMC			Ford			
Model	100	200	200C	100	200	200C		
Maximum passenger capacity	20/24	30	24	22	30	24		
Number of rows	3/4	5	5	4	5	5		
Exterior length overall	243"/263"	289"	289"	257"	283"	283"		
Exterior width overall	96"	96"	96"	96"	96"	96"		
Exterior height overall	110"	112"	118"	111"	113"	118"		
Interior floor length	135"/151.25"	177.25"	177.25"	151.25"	177.25"	177.25"		
Interior width at hip	93"	93"	93"	93"	93"	93"		
Interior height at center line	76"	76"	76"	76"	76"	76"		
Entrance door	32" x 77"	32" x 77"	32" x 82"	32" x 77"	32" x 77"	32" x 82"		
Side windows	35" x 30"	35" x 30"	35" x 30"	35" x 30"	35" x 30"	35" x 30"		
Rear bumper	3/16" x	9.5" with 12" wra	p around	3/16" x 9.5" with 12" wrap around				

CHASSIS	Chevy/GMC			Ford			
Model	100	200	200C	100	200	200C	
Wheelbase	139"	159"	159"	138"	158"	158"	
Engine	4.8 L gas* / 6.0 L gas / 6.6 L diesel			5.4 L gas / 6.8 L gas			
Transmission	6-speed automatic heavy duty overdrive			5-speed overdrive (5.4 L) / 6-speed overdrive (6.8 L)			
GVWR	10,050 lb	os* / 12,300 lbs / 1	4,200 lbs	11,500 lbs 14,000 lbs (5.4 L) / 14,500 lbs (6.8 L)			
Fuel tank	33 gallons			40 gallons			
Brakes	4-wheel anti-lock, 4-wheel disc			4-wheel disc			
Tires	LT225/75R16E all-season, blackwall			LT225/75RX16E BSW all-season			
Alternator	145 amp			155 amp HD			
Battery	600 CCA	500 CCA (gas) / 2 x 770 CCA (diesel) 72 amp					

^{*4.8} L gas engine only available with 10,050 lbs GVWR

OPTIONS

Air conditioning Audio / P.A. systems

Back-up sensors

Barriers

Bumper aluminum

Driver side auxiliary step

Electronic sleeping child monitoring system

Emergency equipment

Entrance door grab handle right Floor plywood 5/8" & marine grade

Heater 42,000 BTU

Integrated toddler seats

Lap and shoulder belt seating

Lift door

Lift wheelchair

Lift wheelchair tie-down

Lights back-up LED

Light monitoring system

Luggage containment systems

Propane

Reflective exterior signs

Remote / heated mirrors

Rub rail skirt level Rub rail window level

Seats

Vandal lock system

Wheelchair and occupant restraint system

Wheelchair lift with interlock device

STANDARD BODY EQUIPMENT

Bumper steel

Emergency triangular warning device*

Entrance door electric Entrance door grab handle left

Floor steel

Floor Plywood 1/2"

Flooring grey rib in aisle

Flooring grey smooth under seat

Flooring steps grey with white nosing

FMVSS seat belt anchorage Heater 20.500 BTU

Interior below window embossed

aluminum

Interior mirror 6" x 16"

Joint strength

Lights clearance LED

Lights dome (4)

Lights marker LED

Lights back-up incandescent

Lights stop and tail LED

Lights turn LED

Mirrors crossview

Mirrors rearview Padding all doors

Paint exterior white **Seat Plans**



Paint interior white

Paint rub rail white

Rear door retainer*

Rub rail floor level

Undercoating

Shut-off valve under body Speakers (4) Stepwell light LED

Windows back (2) tinted 62%

Windows rear door tinted 62%

*Standard in the US, optional in Canada

Windows side tinted 62%

Rear door 2 windows

Rear door 3 point slide bar latch

Reflective tape rear emergency exit*

Rub rail seat level with wrap around

Roof bow one piece, hat section type

Specifications shown in this brochure were in effect at time of printing. In keeping with its policy of continual improvement, Micro Bird, Inc. reserves the right to change specifications without notice and without incurring obligations

Galvanized Steel Structure and Side Impact Barriers

Heavy Duty Frame Option for severe applications available



- Steel body frame ensures that all exterior elements, including dust, moisture and noise, remain outside the passenger
- Superior side impact protection is offered by the use of heavy-gauge steel side impact barriers that incorporate the seat rail into the design for extra strength.



Double Action Energy Absorbing Body Mounting Blocks

- · Absorb road vibration
- · Reduce noise transfer to the cabin interior
- · Offer extended body durability · Provide smoother passenger ride
- · Prevent frame collapse
- · Eliminate the need for periodic tightening of body bolts



Superior Insulation

- 1.5" fiberglass throughout
- Insulated roof bows
- Reduction in noise transfer into passenger compartment
- Prevents condensation



Extra Wide Body Design

· Aerodynamic styling

MICRO BIRD

- · Wider seating for increased comfort
- · Wider aisle for increased safety
- · Better compartmentalization

AM-DRW-0615







