

Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

 PHONE (800) ALANJAY (252-6529)
 DIRECT 863-402-4234
 WWW.ALANJAY.COM 26518-3

 Corporate Office Office

ORIGINAL QUOTE DATE 7/9/2020

QUICK QUOTE SHEET

REVISED QUOTE DATE 7/20/2020

	NCY PINELLAS PARK, CITY OF			
CONTACT PERSON				
PHONE				
Florida State	e Term Contract No. 25100000-19-1 Motor Vehicles www.myflor	idamarketplac	ce.com	
CUSTOMER ID	COMPACT GARBAGE TRUCK			
MODEL	CT52003 SPECIFICATION # 25101600	GRP A Line	16	
	2020 Chevrolet 5500HD LCF Diesel (CT52003) 2WD Reg Cab 132.5" BED LENGTH 2.5" W	B 110" (BASE	PRICE	
** All vehicles will be	e ordered white w/ darkest interior unless clearly stated otherwise on purchase ord	\$42,1	197.00	
		MSRP	COST	
FACTORY OPTION	NS DESCRIPTION			
16U	ARC WHITE cab exterior	\$0.00	\$0.00	
11B IR7	rpm (Governed). 16 valve, four cycle, chain-driven dual overhead camshaft valve train, a cast iron cylinder block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected (STD) with Transmission, 6-speed automatic Aisin A465 transmission with fifth and sixth gear overdrive with lock up in 2nd, 3rd, 4th, 5th and 6th, PTO capability automatic torque converter lockup in stationary PTO mode.	block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected (STD) with Transmission, 6-speed automatic Aisin A465 transmission with fifth and sixth gear overdrive with lock up in 2nd, 3rd, 4th, 5th and 6th, PTO capability automatic torque converter lockup in stationary PTO mode.		
PTO	Power Take Off, engine control provisions			
MY21	ESTIMATED MODEL YEAR 2021 PRICE INCREASE FOR BUDGETARY PURPOSES ONLY (5% MSRP)	\$2,975.00	\$2,975.00	
	FACTORY OPTIONS	\$3,020.00	\$3,020.00	
	MSRP DISCOUNT	0.00% \$0.00		
	ADJUSTED FACTORY OPTIONS	\$3,020.00	\$3,020.00	
CONTRACT OPTION	ONS DESCRIPTION			
EWD	EXTENDED WARRANTY DECLINED	\$0.00	\$0.00	
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00	\$0.00	
SS Diamondback	New Way Diamondback 8 yard rear loader refuse body 8 Cubic Yard Body Capacity Semi-Automatic Cycling Auto Back Pack Auto Lock Tailgate Back Up Alarm Light Bar ICC Lights and Reflectors Sight Gauge on Oil Tank Oil Pressure Gauge Quick Disconnect Pressure Port at Front Valve Chrome Cylinders Side Access Door Rear Vision Camera Driver Alert Buzzer Tailgate Ajar Indicator Riding Steps on Rear LED Body Lights Hot Shift PTO with Overspeed and Pump Halogen Work Lights Inside Upper Tailgate, Shining in Hopper Strobe Light Safety Shutdown Curbside Acrylic Urethane Enamel Single Color Paint 10 lb. Fire Extinguisher Triangle Kit Plastic Fenders 1 Year Body & Hydraulic Warranty 2 Year Cylinder Warranty Minimum Chassis Requirements: 108" CA 50" After Frame 17,000 lb. GVWR, Tires must meet Florida DOT GVWR requirements Automatic Transmission (For use with Hot Shift PTO listed Above) (Includes Final Stage Manufacturer certification, 2nd Stage MSO, and Weight Slip)	\$47,035.00	\$47,035.00	
SS D6098	Barrel Style Lifter for Diamondback 8 yard rear loader body. (Center Mount Only)	\$10,311.00	\$10,311.00	
FS-RSL CC	Federal Signal Road Side Lighting Package 2: 4 Corner LED's Split Amber/White, 2 Micropulse Ultra 600 series LED's (Split Amber/White) in Grille, 2 Micropulse Ultra 600 series LED's (Split Amber/White)	\$2,432.00	\$2,432.00	
	mounted to rear of body with white bezel, 1 eight head Amber Signal Master stick installed inside back glass, 1 Compact Digital Soft Button 6 switch controller.			
3K DUMB	mounted to rear of body with white bezel, 1 eight head Amber Signal Master stick installed inside back	\$65.00	\$65.00	

CONTRACT OPTIONS

\$60,063.00 \$60,063.00



Florida State Terr	n Contract No. 25100000-1	9-1 Motor Vehicle	s www.myfloridamarl	ketplace.com
				•
TRADE IN	YES WE TAKE TRADE INS ~~~ AS	K ABOUT MUNICIPAL FINANCIN	TOTAL COST	\$10<u>5,280.00</u> \$0.00
		TOTAL COST LESS TRAD	DE IN(S) QTY 1	\$105,280.00
Estimate	d Annual payments for 60 months			
Comments	Municipal finance for any e	ssential use vehicle, requires lende	er approval, WAC.	
VEHICLE QUOTED BY	Chris Wilson F	LEET SALES MANAGER	chris.wilson@alanjay.com	
I appreciate the opportuni	ty to submit this quotation. Please revie	nt to be <u>Your</u> Fleet Provider" w it carefully. If there are any errors lways happy to be of assistance.	or changes, please feel free to con	tact me at any time.
	i airi a	iways nappy to be or assistance.		

Equipment List New Way Diamondback 8RL Rear Loader



Model shown with additional options

8 Cubic Yard Body Capacity

Semi-Automatic Cycling

Auto Back Pack

Auto Lock Tailgate

Back Up Alarm

Light Bar

ICC Lights and Reflectors

Sight Gauge on Oil Tank

Oil Pressure Gauge

Chrome Cylinders

Side Access Door

Rear Vision Camera

Driver Alert Buzzer

Tailgate Ajar Indicator

Riding Steps on Rear

LED Body Lights

Hot Shift PTO with Overspeed and Pump

Halogen Work Lights Inside Upper Tailgate, Shining in Hopper

Strobe Light

Safety Shutdown Curbside

Acrylic Urethane Enamel Single Color Paint

10 lb. Fire Extinguisher

Triangle Kit

Plastic Fenders

1 Year Body & Hydraulic Warranty

2 Year Cylinder Warranty

Minimum Chassis Requirements:

108" CA

17,000 lb. GVWR, Tires must meet Florida DOT GVWR requirements

Automatic Transmission (For use with Hot Shift listed Above)



Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2020 Chevrolet 5500HD LCF Diesel (CT52003) 2WD Reg Cab 132.5"

MSRP:\$59,510.00

Interior: Very Dark Pewter, Cloth Seat Trim

Exterior 1:Arc White

Exterior 2:No color has been selected.

Engine, Diesel 5.2L 4 cylinder

Transmission, 6-speed automatic Aisin A465 transmission

OPTIONS

•			
	CODE	MODEL	MSRP
	CT52003	[Fleet] 2020 Chevrolet 5500HD LCF Diesel (CT52003) 2WD Reg Cab 132.5"	59,510.00
		OPTIONS	
	062	Rear axle, 5.12 ratio	\$0.00
	16U	Arc White	\$0.00
	1WT	Preferred Equipment Group	\$0.00
	A1F	Seat, front high back bucket driver and passenger	\$0.00
	HNF	Very Dark Pewter, Cloth Seat Trim	\$0.00
	I1B	Engine, Diesel 5.2L 4 cylinder	\$0.00
	IR7	Transmission, 6-speed automatic Aisin A465 transmission	\$0.00

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

TOTAL PRICE

Vehicle: [Fleet] 2020 Chevrolet 5500HD LCF Diesel (CT52003) 2WD Reg Cab 132.5" (✓ Complete) PTO PIO, Power Take Off, engine control provisions \$50.00 UIZ Audio System, AM/FM stereo with CD player, auxiliary jack, USB \$0.00 port and Bluetooth VQ2 Fleet processing option \$0.00 **SUBTOTAL** \$59,560.00 Adjustments Total \$0.00 Tire Weight Tax \$7.94 **Destination Charge** \$1,125.00

\$60,692.94

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

Standard Equipment

Mechanical	
	Emissions, 50 state certification
	Engine, Diesel 5.2L 4 cylinder 215 hp [160.3 kW] @2500 rpm, 452 lb-ft of torque [612.8 Nm] @ 1850-2750 rpm (Governed). 16 valve, four cycle, chain-driven dual overhead camshaft valve train, a cast iron cylinder block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected (STD)
	Transmission, 6-speed automatic Aisin A465 transmission with fifth and sixth gear overdrive with lock up in 2nd, 3rd, 4th, 5th and 6th, PTO capability automatic torque converter lockup in stationary PTO mode. (STD)
	Rear axle, 5.12 ratio
	Air cleaner, heavy-duty, 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.
	Drivetrain, rear-wheel drive
	Battery, dual 750 cold-cranking amps, 12 volt, maintenance free
	Alternator, 140 amps
	Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide. Yield strength 44,000 psi, section modulus 7.20 cu.in. and RBM 316,800 lb-ft/in per rail.
	Incomplete vehicle certification
	Wheelbase, 132.5" (336.6 cm)
	GVWR, 17,950 lbs. (8142 kg)
	Front suspension, 8,440 lbs. (3828 kg) tapered leaf (Standard on 4500XD, 5500HD and 5500XD only.)
	Rear Suspension, 14,550 lbs. (6599 kg) (Standard on 5500HD and 5500XD only.)
	Front axle, 6,830 lbs. (3098 kg), reverse Elliot "I"-beam includes integral hydraulic power steering. ratio 18.8-20.9:1
	Rear axle, 14,550 lbs. (6600 kg) (Standard on 5500HD and 5500XD only.)
	Vehicle Application Truck
	Brakes, 4-wheel antilock, front disc, rear drum, dual circuit, vacuum assisted hydraulic with EBD (Electronic Brake Distribution). Disc front and self-adjust outboard mounted drum rear. Mechanical, transmission-mounted parking brake. Non-asbestos semi-metallic linings are standard. 4 channel anti-lock brake system.
	Exhaust brake
	Fuel tank, 30 Gallon, (113L), rectangular fuel tank. mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill
	Exhaust, single horizontal outlet

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

Exterior	
	Wheels, 19.5" x 6", K steel (Standard on 4500XD, 5500HD and 5500XD only.)
	Tires, front, 225/70R19.5 F 125/123 L BW HWY VAR1 (Standard on 4500XD, 5500HD and 5500XD only.)
	Tires, rear, 225/70R19.5 F 125/123 L BW HWY VAR1 (Standard on 4500XD, 5500HD and 5500XD only.)
	Assist steps
	Glass, tinted
	Mirror, outside left hand and right hand dual cab mounted exterior with integral convex mirror
	Windshield wiper, pulse, wet arm
Entertainment	
	Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD)
	Audio system feature, 2 speakers
Interior	
	Seat, front high back bucket driver and passenger tricoat cloth covered reclining high back driver seat with single two occupant fold down passenger seat (STD)
	Seat trim, Cloth
	Cup holders
	Floor mats
	Air conditioning, single-zone manual, integral in-dash mounted
	Steering wheel, urethane
	Steering wheel, tilt and telescopic
	Driver Information Center, (DIC) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The DIC provides fuel economy reporting by average, instant, and trip.)
	Windows, power
	Door locks, power
	Cruise control, electronic, automatic
	Windshield washer bottle access on passenger side dash when passenger-side door is open
	Storage, door pockets
	Lighting, interior dome
	Storage, seatback pockets

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

Safety-Mechanical

Brake, parking, cable actuated, internal expanding drum type, transmission-mounted

Safety-Exterior

Daytime Running Lamps

Processing-Other

Warranty, 3-years/unlimited miles (whichever comes first). Covers engine, transmission and drive axle

WARRANTY

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: Unlimited Drivetrain Years: 3

Drivetrain Miles/km: Unlimited

Corrosion Years: 4

Corrosion Miles/km: Unlimited

Rear Axle Years: 3

Rear Axle Miles/km: Unlimited

Frame Rail Years: 3

Frame Rail Miles/km: Unlimited

Frame Rail Note: 3 years/Unlimited Miles (no charge) AND up to 5 years/Unlimited miles (50% charge)

Roadside Assistance Years: 3


Roadside Assistance Miles/km: Unlimited

Maintenance Note: 1 Year/1 Visit

PAt the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

Weight Distribution

SPECIFICATION SUMMARY	
Model #	CT52003
Truck/Tractor	
Wheelbase (WB)	132.50 in
Cab to Axle (CA)	110.0 in
Cab to Body/Swing Clear (BOC)	0.0 in
Body Length	0.0 ft
Body Weight	0.0 lbs
Cargo Weight	0.00 lbs
Front GAWR	6830 lbs
Rear GAWR	12980 lbs
GVWR	17950.00 lbs



Fr%: N/A

Front Wt: 4221.00 lbs

Rr%: N/A

Rear Wt: 2361.00 lbs

CA: 110.0 in

WB: 132.50 in

BOC: 0.0 in

GAWR/GVWR	GVW	Remaining Payload Wt
17950.00 lbs	6932.00 lbs	11,018.00 lbs

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

Weight Distribution

CIFICATION DETAILS			
	Front Axle	Rear Axle	Total
Actual			
Chassis	4221.00 lbs	2361.00 lbs	6582.00 lbs
Body	0.00 lbs	0.00 lbs	0.0 lbs
Payload	0.00 lbs	0.00 lbs	0.00 lbs
Trailer			0.0 lbs
Totals	4221.00 lbs	2361.00 lbs	6932.00 lbs
Capacity			
Axle	6830 lbs	12980 lbs	19810.00 lbs
Suspension	8440 lbs	14550 lbs	22,990.00 lbs
Tire	6900 lbs	12980 lbs	19880.00
Total Axle Rating	6830.00 lbs	12980.00 lbs	19810.00 lbs

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

Geared Road Speed

SPECIFICATION SUMMARY	
Model #	CT52003
Engine Order Code	I1B
Model Manufacturer	4HK1-TC
Туре	Turbocharged Diesel I4
Displacement	5.2L/317
Horsepower	215 @ 2500
Starting Torque	N/A
Transmission Order Code	IR7
Model Manufacturer	Aisin A465
Туре	6-Speed Automatic
Rear Axle Order Code	
Model Manufacturer	N/A
Weight Rating	12980 lbs
Ratio:1	5.12
Rear Tires	225/70R19.5
Revolutions/Mile Front	643
Revolutions/Mile Rear	643
Surface Type	Concrete
Desired Grade	2%

Geared Road Speed



Actual Loaded Speed



0% Grade in gear

2% Grade in gear


Note: Simulated speedometer appearance may not correspond with selected equipment.

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

Gradeability Chart

SPECIFICATION SUMMARY		
Model #	CT52003	
Engine Order Code	I1B	
Model Manufacturer	4HK1-TC	
Туре	Turbocharged Diesel I4	
Displacement	5.2L/317	
Horsepower	215 @ 2500	
Starting Torque	N/A	
Transmission Order Code	IR7	
Model Manufacturer	Aisin A465	
Туре	6-Speed Automatic	
Rear Axle Order Code		
Model Manufacturer	N/A	
Weight Rating	12980 lbs	
Ratio:1	5.12	
Rear Tires	225/70R19.5	
Revolutions/Mile Front	643	
Revolutions/Mile Rear	643	
Surface Type	Concrete	
Desired Grade	2%	



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.


Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.

Turning Circle

SPECIFICATION SUMMARY	
Model #	CT52003
Front Axle Order Code	
Capacity (lbs)	6830 lbs
Wheelbase Order Code	
Wheelbase (in)	132.50 in
Front Wheel Order Code	
Size/Type (in)	19.5 x 6 in
Front Tire Order Code	2TB
Size/Type	225/70R19.5

Wall to Wall (ft): 44.9 ft

Wall to Wall diameter is measured from the outermost part of the cab.



Curb to Curb (ft): 40.0 ft

Curb to Curb diameter is measured from the outside of the front tire.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 11361. Data Updated: Jul 8, 2020 10:58:00 PM PDT.