

## **Equipment Proposal**

This Equipment Proposal (the "Proposal") has been prepared by Ten-8 Fire Equipment, Inc. ("Company") in response to the undersigned Customer's request for a proposal. This Proposal is comprised of the special terms set forth below, the Proposal Option List, Warranty, and Company's Purchasing Terms and Conditions. Through its signature below or other Acceptance (as defined below), Customer acknowledges having received, read and being bound by this Proposal, all attachments and Company's Purchasing Terms and Conditions.

Date: August 7, 2020 ("Proposal Date")

Other: \_\_\_\_

Customer: Pinellas Park Fire Department ("Customer")

Customer Address: 11350 43d Street N. Pinellas Park, FL 33762

Quantity	Product Description & Options	Price
1	Pierce Velocity PUC, based on FSA20-VEF14.02 Spec 8 Level II Pumper	\$550,522.00
1	Customer specified options per Bid #671	\$368,885.00
1	6% Discount on customer specified options	(\$22,133.00)
1	Manufacturer and Dealer discount	(\$25,450.00)
-	Purchase Price:	\$871,824.00

Delivery Timing: The Product described above in the Prod	luct Description and Options Section of this document will be built
by and shipped from the manufacturer approximately 12	(months) after Company receives Customer's acceptance of this
Proposal as defined below.	

Unless accepted within 31 days from date of proposal, the right is reserved to withdraw this proposal.

ACCEPTANCE OF THIS PROPOSAL CREATES AN ENFORCEABLE BINDING AGREEMENT BETWEEN COMPANY AND CUSTOMER. "ACCEPTANCE" MEANS THAT CUSTOMER DELIVERS TO COMPANY: (A) A PROPOSAL SIGNED BY AN AUTHORIZED REPRESENTATIVE, OR (B) A PURCHASE ORDER INCORPORATING THIS PROPOSAL, WHICH IS DULY APPROVED, TO THE EXTENT APPLICABLE, BY CUSTOMER'S GOVERNING BOARD. ACCEPTANCE OF THIS PROPOSAL IS EXPRESSLY LIMITED TO THE TERMS CONTAINED IN THIS PROPOSAL AND COMPANY'S PURCHASING TERMS AND CONDITIONS. ANY ADDITIONAL OR DIFFERENT TERMS, WHETHER CONTAINED IN CUSTOMER'S FORMS OR OTHERWISE PRESENTED BY CUSTOMER AT ANY TIME, ARE HEREBY REJECTED.

INTENDING TO CREATE A BINDING AGREEMENT, Customer and Company have each caused this Proposal to be executed by their duly authorized representatives as of date of the last signature below.

Customer: Pinellas Park Fire Department	Ten-8 Fire Equipment, Inc.
By:	By: Lust
Title:	Title: Authorized Sales Representative
Print:	Print: Dustin Bouwer
Date:	Date: 8/7/20

#### **PURCHASING TERMS AND CONDITIONS**

#### (Florida)

These Purchasing Terms and Conditions, together with the Equipment Proposal and all attachments (collectively, the "Agreement") are entered into by and between Ten-8 Fire Equipment, Inc., a Florida corporation ("Company") and Customer (as defined in Ten-8 Fire Equipment, Inc.'s Equipment Proposal document) and is effective as of the date specified in Section 3 of these Purchasing Terms and Conditions. Both Company and Customer may be referred throughout this document individually as a "party" or collectively as the "parties."

### 1. Definitions.

- a. "Acceptance" has the same meaning set forth in Company's Equipment Proposal.
- b. "Company's Equipment Proposal" means the Equipment Proposal provided by Company and prepared in response to Customer's request for proposal for a fire apparatus, associated equipment or an ambulance.
- c. "Cooperative Purchasing Contract" means an Agreement between Company and a public authority, including without limitation, a department, division, agency of a municipal, county or state government ("Public Authority"), that adopts or participates in an existing agreement between Company and another non-party customer (including, but not limited to such non-party customer's equipment proposal, its applicable exhibits, attachments and purchasing terms and conditions), often referred to as a "piggyback arrangement," which is expressly agreed to, in writing, by Company. Company has sole discretion to determine whether it will agree to such a Cooperative Purchasing Contract.
- d. "Delivery" means when Company delivers physical possession of the Product to Customer.
- e. "Manufacturer" means the Manufacturer of any Product.
- f. "Prepayment Discount" means the prepayment discounts, if any, specified in Company's Equipment Proposal.
- g. "Product" means the fire apparatus and any associated equipment, or ambulance manufactured or furnished for Customer by Company pursuant to the Specifications.
- h. "Purchasing Terms and Conditions" means these Purchasing Terms and Conditions; however, if the Company's Equipment Proposal or the Customer's related Purchase Order states that it is governed by a Cooperative Purchasing Agreement, "Purchasing Terms and Conditions" shall mean those terms and conditions set forth in the applicable Cooperative Purchasing Agreement.
- i. "Specifications" means the general specifications, technical specifications, training, and testing requirements for the Product contained in Company's Equipment Proposal and its Exhibit A (Proposal Option List or for ambulance sales, the Quotation, or Order Form, as applicable), prepared in response to Customer's request for such a proposal.
- 2. Purpose. This Agreement sets forth the terms and conditions of Company's sale of the Product to Customer.
- 3. <u>Term of Agreement</u>. This Agreement will become effective on the date of Acceptance as defined in Company's Equipment Proposal ("Effective Date") and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon Delivery and payment in full of the Purchase Price.
- 4. Purchase and Payment. Customer agrees to pay Company the Purchase Price for the Product(s) as set forth in Company's Equipment Proposal ("Purchase Price"). The Purchase Price is in U.S. dollars. Where Customer opts for a Prepayment Discount that specifies that Customer will tender one or more prepayments to Company, Customer must provide each prepayment within the time frame specified in the Equipment Proposal in order to receive the Prepayment Discount for that prepayment installment.
- 5. Representations and Warranties. Customer hereby represents and warrants to Company that the purchase of the Product(s) has been approved by Customer in accordance with applicable general laws and, as applicable, Customer's charter, ordinances and other governing documents, and funding for the purchase has been duly budgeted and appropriated.

#### 6. Cancellation/Termination.

a. <u>Fire Equipment and Apparatus Sales</u>. In the event this Agreement is cancelled or terminated by Customer before completion, Company may charge Customer a cancellation fee. The

following charge schedule is based on costs incurred by Manufacturer and Company for the Product, which may be applied and charged to Customer: (a) 12% of the Purchase Price after the order for the Product(s) is accepted and entered into Manufacturer's system by Company; (b) 22% of the Purchase Price after completion of approval drawings by Customer, and; (c) 32% of the Purchase Price upon any material requisition made by the Manufacturer for the Product. The cancellation fee will increase in excess of (c) in this Section 6, accordingly, as additional costs are incurred by Manufacturer and Company as the order progresses through engineering and into the manufacturing process.

- b. <u>Ambulance Sales</u>. This Section 6 for Cancellation/Termination does not apply to Ambulance Sales. An order for an ambulance cannot be cancelled or terminated once Company receives and processes Customer's Acceptance of Company's Equipment Proposal.
- 7. <u>Delivery</u>. The Product is scheduled to be delivered as specified in the Delivery Timing section of the Equipment Proposal ("Delivery Timing"), which will be F.O.B. Company's facility. The Delivery Timing is an estimate, and Company is not bound to such date unless it otherwise agrees in writing. Company is not responsible for Delivery delays caused by or as the result of actions, omissions or conduct of the Manufacturer, its employees, affiliates, suppliers, contractors, and carriers. All right, title and interest in and to the Product, and risk of loss, shall pass to Customer upon Delivery of the Product(s) to Customer.
- 8. <u>Standard Warranty</u>. The manufacturer warranties applicable to this Agreement, if any, are attached to Company's Equipment Proposal as Exhibit A and are incorporated herein as part of the Agreement.
  - a. <u>Disclaimer</u>. EXCEPT AS OTHERWISE SET FORTH IN THIS AGREEMENT, COMPANY, INCLUDING ITS PARENT COMPANY, AFFILIATES, SUBSIDIARIES, AND THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, SHAREHOLDERS, AGENTS OR REPRESENTATIVES DO NOT MAKE ANY REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCTS PROVIDED UNDER THIS AGREEMENT, WHETHER ORAL OR WRITTEN, EXPRESS, IMPLIED OR STATUTORY. WITHOUT LIMITING THE FOREGOING DISCLAIMER, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, IMPLIED WARRANTY AGAINST INFRINGEMENT, AND IMPLIED WARRANTY OR CONDITION OF FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED AND DISCLAIMED. STATEMENTS MADE BY SALES REPRESENTATIVES OR IN PROMOTIONAL MATERIALS DO NOT CONSTITUTE WARRANTIES.
- 9. <u>Limitation of Liability.</u> COMPANY WILL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, ECONOMIC, PUNITIVE, SPECIAL OR EXEMPLARY DAMAGES ARISING FROM OR IN ANY WAY CONNECTED WITH THIS AGREEMENT WITHOUT REGARD TO THE NATURE OF THE CLAIM OR THE UNDERLYING THEORY OR CAUSE OF ACTION (WHETHER IN CONTRACT, TORT, STRICT LIABILITY, EQUITY OR ANY OTHER THEORY OF LAW) ON WHICH SUCH DAMAGES ARE BASED. COMPANY'S LIMIT OF LIABILITY UNDER THIS AGREEMENT SHALL BE CAPPED AT THE TOTAL AMOUNT OF THE MONIES PAID BY CUSTOMER TO COMPANY UNDER THIS AGREEMENT.
- 10. Force Majeure. Company shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond Company's control which make Company's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, including transportation or delivery losses outside of Company's control, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

- 11. <u>Customer's Obligations</u>. Customer shall provide its timely and best efforts to cooperate with Company and Manufacturer during the manufacturing process to create the Product. Reasonable and timely cooperation includes, without limitation, Customer's providing timely information in response to a request from Manufacturer or Company and Customer's participation in traveling to Manufacturer's facility for inspections and approval of the Product.
- 12. <u>Default</u>. The occurrence of one or more of the following shall constitute a default under this Agreement: (a) Customer's failure to pay any amounts due under this Agreement or Customer's failure to perform any of its obligations under this Agreement; (b) Company's failure to perform any of its obligations under this Agreement; (c) either party becoming insolvent or becoming subject to bankruptcy or insolvency proceedings; (d) any representation made by either party to induce the other to enter into this Agreement, which is false in any material respect; (e) an action by Customer to dissolve, merge, consolidate or transfer a substantial portion of its property to another entity; or (f) a default or breach by Customer under any other contract or agreement with Company.
- 13. Manufacturer's Statement of Origin. Company shall retain possession of the manufacturer's statement of origin ("MSO") for the Product until the entire Purchase Price has been paid. If more than one Product is covered by this Agreement, Company shall retain the MSO for each individual Product until the Purchase Price for that Product has been paid in full.
- 14. <u>Arbitration.</u> Any controversy or claim arising out of or relating to this Agreement, or the breach thereof, shall be settled by arbitration administered by the American Arbitration Association in accordance with its Commercial Arbitration Rules, and judgment on the award rendered by the arbitrator(s) may be entered in any court having jurisdiction thereof. The Arbitration shall take place in Bradenton, Florida.
- 15. Miscellaneous. The relationship of the parties established under this Agreement is that of independent contractors and neither party is a partner, employee, agent, or joint venture of or with the other. Neither party may assign its rights and obligations under this Agreement without the prior written approval of the other party. This Agreement and all transactions between Ten-8 Fire Equipment, Inc. will be governed by and construed in accordance with the laws of the State of Florida. The delivery of signatures to this Agreement may be via facsimile transmission or other electronic means and shall be binding as original signatures. This Agreement shall constitute the entire agreement and supersede any prior agreement between the parties concerning the subject matter of this Agreement. This Agreement may only be modified by an amendment, in writing, signed by duly authorized representatives of both parties with authority to sign such amendments to this Agreement. In the event of a conflict between the Ten-8 Proposal and these Terms and Conditions, the Ten-8 Proposal shall control except in the case of a Cooperative Purchasing Contract as set forth in Section 1(c) and (h) of these Purchasing Terms and Conditions. If any term of this Agreement is determined to be invalid or unenforceable by a competent legal authority, such term will be either reformed or deleted, as the case may be, but only to the extent necessary to comply with the applicable law, regulation, order or rule, and the remaining provisions of the Agreement will remain in full force and effect.



# **Proposal Option List**

**Customer:** Representative Organization:

Pinellas Park Bouwer, Dustin

Requirements Manager:

**Description:** Body:

Ten-8 Fire Equipment, Inc

Pinellas Park Rescue Pumper Pumper, PUC, Aluminum

**Bid Number:** 

Job Number:

**Number of Units:** 

**Bid Date:** 

Stock Number:

Price Level:

39 (Current: 39)

10/02/2017

671

Different   Type	Chase	_		Velocity Chassis, PUC (Big Block), 2010	Lane:	os (ourrent.
Fire Department/Customer - Prinellas Park Fire Department   Operating/In conjunction W-Service Center - Operating   Miles - 50 Miles   Number of Fire Dept/Municipalities - 10   Bidder/Sales Organization - Ten-8 Fire Equipment   Delivery - A qualified delivery representative shall deliver the apparatus.   Operation, care and maintenance orientation will be scheduled upon delivery.   Dealership/Sales Organization, Service - Ten-8 Bradenton   3 0584456   Manufacture Location, Appleton, Wisconsin   4 0584452   RFP Location: Appleton, Wisconsin   4 0584452   RFP Location: Appleton, Wisconsin   4 0584452   RFP Location: Appleton, Wisconsin   4 0583347   Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions   7 0533347   Pumper/Pumper with Aerial Device Fire Apparatus   4 0561778   Agency, Apparatus Certification, Pumper/ Fanker, U.L.   Consolium, Florida Sheriff's   10 0520357   Consortium, Florida Sheriff's   10 0520357   Consortium, Florida Sheriff's   10 0520357   Unit of Messure, US Gallons   10 0500066   Performance Bond, 100% Req'd (Statement by Rep)   Approval Drawing   Electrical Diagrams   Velocity Chassis, PUC (Big Block), 2010   Wheelbase   Velocity Chassis, PUC (Big Block), 2010   Wheelbase   Velocity Chassis, PUC (Big Block), 2010   Wheelbase   227.5"   3 0000070   GVW Rating - 56,300 pounds   Frame Ralis, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   Frame Liner, Internal *C** 12.50** x 3.00** x .25**, XT/Vel/Imp, Full Length, 56**Qv   20 010427   Suspension, Front TAk-4, 22,800 ib, Qtm/AXT/Imp/Vel/DCF/Enf   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   Suspension, Front Tak-4, 22,800 ib, Qtm/AXT/Imp/Vel/DCF/Enf   Suspension, Front Tak-4, 22,800 ib, Qtm/AXT/Imp/Vel/DCF/Enf   Suspension, Front Tak-4, 22,800 ib, Qtm/AXT/Imp/Vel/DCF/Enf   Oil Seals, Front Axle   Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply   Wheels, Front, Alcoa, 22.50** x 12.25**, Aluminum, Hub Pilot   Axle, Rear, Meritor R30-148, Spr   Tire Sl and Tamp Monitoring System, 2** Gauge   Oly, Tire Pessure Sensor -	Line	Option	Type	Option Description		Qty
Operating/In conjunction W-Service Center - Operating   Milies - 50 Miles	1	0766589		Boiler Plates, PUC Pumper		1
Miles - 50 Miles				Fire Department/Customer - Pinellas Par	k Fire Department	
Number of Fire Dept/Municipalities - 10   Bidder/Sales Organization - Ten-8 Fire Equipment   Delivery - A qualified delivery representative shall deliver the apparatus. Operation, care and maintenance orientation will be scheduled upon delivery. Dealership/Sales Organization, Service - Ten-8 Bradenton   2 0661784				Operating/In conjunction W-Service Cent	er - Operating	
Bidder/Sales Organization - Ten-8 Fire Equipment Delivery - A qualified delivery perpresentative shall deliver the apparatus. Operation, care and maintenance orientation will be scheduled upon delivery. Dealership/Sales Organization, Service - Ten-8 Bradenton Single Source Compliance				Miles - 50 Miles		
Delivery - A qualified delivery representative shall deliver the apparatus. Operation, care and maintenance orientation will be scheduled upon delivery. Dealership/Sales Organization, Service - Ten-8 Bradenton  3 0584456 Manufacture Location, Appleton, Wisconsin 4 0584452 RFP Location: Appleton, Wisconsin Complete Property of the Complete Prope						
Operation, care and maintenance orientation will be scheduled upon delivery.  Dealership/Sales Organization, Service - Ten-8 Bradenton  3 0584455				Bidder/Sales Organization - Ten-8 Fire E	quipment	
Dealership/Sales Organization, Service - Ten-8 Bradenton 3 0584456				Delivery - A qualified delivery representation	tive shall deliver the apparatus.	
2 0861794 Single Source Compliance 3 0584456 Manufacture Location, Appleton, Wisconsin 4 0584452 RFP Location: Appleton, Wisconsin 5 0588609 Vehicle Destination, US 6 0610784 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 7 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 8 0588611 Vehicle Certification, Pumper 9 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 10 0520357 Consortium, Florida Sheriff's 11 0537375 Unit of Measure, US Gallons 12 0030006 Bid Bond Not Requested 13 0050066 Performance Bond, 100% Req'd (Statement by Rep) 14 0000007 Approval Drawing 15 0002928 Electrical Diagrams 16 0564230 Velocity Chassis, PUC (Big Block), 2010 Wheelbase Wheelbase - 227.5" 18 0000070 GVW Rating GVW Rating GVW Rating 19 0000203 Frame Rails, 13.38 x 3.50 x 3.75, Qtm/AXT/Imp/Vel/DCF 19 000849 Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel 20 010427 Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf 20 00322 Oil Seals, Front, Oshkosh TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 20 00322 Oil Seals, Front, Adea 20 019611 Wheels, Front, Adea 21 0598481 Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply 21 059816 Axle, Rear, Meritor R530-185, 33,500 lb, Imp/Vel/DCF 22 0594821 Tires, Front, Goodyear, G298 WHA, 315/80R22.50, 20 ply, Single 23 054204 Tires, Rear, Goodyear, G298 WHA, 315/80R22.50, 20 ply, Single 23 0544804 SP 24 0746449 SP 25 0544806 Tire Pressure Sensor - 6 26 Chocks, Wheel, SAC-44-E, Folding, Horizontal Oty, Pair - 01 0544806 Others of the Condon of the Chocks, SAC-44-E, Folding, Horizontal Oty, Pair - 01 06 0544806 Tires Pressure Sensor - 6 Chocks, Wheel, SAC-44-E, Folding, Horizontal Oty, Pair - 01				Operation, care and maintenance orientation w	Ten-8 Bradenton	
3 0584456 4 0584452 RFP Location: Appleton, Wisconsin RFP Location: Appleton, Wisconsin Vehicle Destination, US 6 0610784 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 7 0533347 Pumper/Pumper with Aerial Device Fire Apparatus Vehicle Certification, Pumper 9 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. Consortium, Florida Sheriff's 10 0520357 Consortium, Florida Sheriff's 11 0537375 Unit of Measure, US Gallons 13 0050066 Performance Bond, 100% Req'd (Statement by Rep) Approval Drawing 15 0002928 Electrical Diagrams 16 0564230 Velocity Chassis, PUC (Big Block), 2010 Wheelbase Wheelbase - 227.5" 8 0000070 GVW Rating GVW Rating GVW rating - 56,300 pounds 19 0000203 Frame Rails, 13.38 x 3.50 x 3.75, Cltm/AXT/Imp/Vel/DCF Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp, Full Length, 56"Qv Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel 20 010427 Suspension, Front TAK-4, 22,800 lb, Ctm/AXT/Imp/Vel/DCF/Enf 21 0598819 Axle, Front, Coshkosh TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 21 0598811 Consolved Tires, Front, Arke, 22,800 lb, Ctm/AXT/Imp/Vel/DCF/Enf 22 0594821 Tires, Front, Godyear, G296 MSA, 425/65R22.50, 20 ply Wheels, Front, Arke, 22,50" x 12.25", Aluminum, Hub Pilot Axle, Rear, Mentior RS30-185, 33,500 lb, Imp/Vel/DCF/Enf 20 0544804 Tires, Rear, Goodyear, G298 WHA, 315/80R22.50, 20 ply, Single Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single Tire Slandening, Nothing Required Tire PSI and Temp Monitoring System, 2" Gauge Oty, Tire Pressure Sensor - 6 Chocks, Wheel, SAC-44-E, Folding, Horizontal Oty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	2	0661794			Terro Bradericon	1
4 0584452	_			•		1
5 0588609         Vehicle Destination, US           6 0610784         Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions           7 0533347         Pumper/Pumper with Aerial Device Fire Apparatus           8 0588611         Vehicle Certification, Pumper           9 0661778         Agency, Apparatus Certification, Pumper/Tanker, U.L.           10 0620357         Consortium, Florida Sheriff's           11 0537375         Unit of Measure, US Gallons           12 0030006         Bid Bond Not Requested           13 0050066         Performance Bond, 100% Req'd (Statement by Rep)           14 000007         Approval Drawing           15 0062928         Electrical Diagrams           16 0564230         Velocity Chassis, PUC (Big Block), 2010           17 0000110         Wheelbase           Wheelbase         Wheelbase           18 0000070         GVW Rating           GVW Rating         GVW Rating           19 0000203         Frame Ralis, 13.38 x 3.50 x.375, Qtm/AXT/Imp/Vel/DCF           21 058849         Axie, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel           22 010427         Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf           23 0087572         Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf           24 0000322         Oil Seals, Front Axie     <				• •		1
6 0610784 Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions 7 0533347 Pumper/Pumper with Aerial Device Fire Apparatus Vehicle Certification, Pumper 9 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 10 0620357 Consortium, Florida Sheriff's 11 0537375 Unit of Measure, US Gallons 12 0030006 Bid Bond Not Requested 13 0050066 Performance Bond, 100% Req'd (Statement by Rep) 14 0000007 Approval Drawing 15 0002928 Electrical Diagrams 16 0564230 Velocity Chassis, PUC (Big Block), 2010 Wheelbase Wheelbase - 227.5" 18 0000070 GVW Rating GVW Rating GVW Rating 19 0000203 Frame Rails, 13.38 x 3.50 x 375, Qtm/AXT/imp/Vel/DCF 19 0000203 Frame Rails, 13.38 x 3.50 x 375, Qtm/AXT/imp/Vel/DCF 20 0756525 Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp, Full Length, 56"Qv 21 0508849 Akle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel 22 0010427 Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/imp/Vel/DCF/Enf 23 0087572 Shock Absorbers, KONI, TAK-4, 22,800 lb, Imp/Vel/DCF/Enf 25 0594821 Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply 26 0019611 Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 27 0598516 Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF 28 0544244 Top Speed of Vehicle, 60 MPH 29 0122073 Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/DCF 10 Seals, Rear Axle 10 Seals, Rear Axle 11 Tires, Rear, Goodyear, G298 WHA, 315/80R22.50, 20 ply, Single Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single 11 Tire PSI and Temp Monitoring System, 2" Gauge Qty, Tire Pressure Sensor - 6 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01	-					1
7 0533347 Pumper/Pumper with Aerial Device Fire Apparatus 8 0588611 Vehicle Certification, Pumper 9 0661778 Agency, Apparatus Certification, Pumper 10 0620357 Consortium, Florida Sheriff's 11 0537375 Unit of Measure, US Gallons 12 0030006 Bid Bond Not Requested 13 0050066 Performance Bond, 100% Req'd (Statement by Rep) 14 000007 Approval Drawing 15 0002928 Electrical Diagrams 16 0564230 Velocity Chassis, PUC (Big Block), 2010 17 0000110 Wheelbase Wheelbase - 227.5" 18 0000070 GVW Rating GVW Rating GVW Rating 19 0000203 Frame Ralls, 13,38 x 3.50 x .375, Qtm/AXT/imp/Vel/DCF 17 056525 Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/imp, Full Length, 56"Qv 10 10 508849 Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel 22 0010427 Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/imp/Vel/DCF/Enf 23 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/imp/Vel/DCF/Enf 24 0000322 Oil Seals, Front Axle 25 0594821 Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply 26 0019611 Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 27 0598516 Axle, Rear, Menitor RS30-185, 33,500 lb, Imp/Vel/DCF 29 0122073 Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/DCF 30 0000485 Oil Seals, Rear Axle 31 0585004 Tires, Rear, Goodyear, G298 WHA, 315/80R22.50, 20 ply, Single Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single Tire Balancing, Nothing Required 31 0746449 SP Tire PSi and Temp Monitoring System, 2" Gauge Oty, Tire Pressure Sensor - 6 Chocks, Wheel, SAC-44-E, Folding Oty, Pair - 01 01 0001000000000000000000000000000	_				i, With Exceptions	1
8 0588611 Vehicle Certification, Pumper 9 0661778 Agency, Apparatus Certification, Pumper/Tanker, U.L. 10 0620357 Consortium, Florida Sheriffs 11 0537375 Unit of Measure, US Gallons 12 0030006 Bid Bond Not Requested 13 0050066 Performance Bond, 100% Req'd (Statement by Rep) 14 0000007 Approval Drawing 15 0002928 Electrical Diagrams 16 0564230 Velocity Chassis, PUC (Big Block), 2010 17 0000110 Wheelbase Wheelbase - 227.5" 18 000070 GVW Rating GVW Rating GVW rating - 56,300 pounds 19 0000203 Frame Ralls, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF 20 0756525 Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp, Full Length, 56"Qv Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel 22 0010427 Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf 23 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 24 0000322 Oil Seals, Front Axle 25 0594821 Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply 26 0019611 Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 27 0598516 Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF 10 Seals, Rear, Axle 11 0585004 Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single Tire Balancing, Nothing Required 13 0544802 Chocks, Wheel, SAC-44-E, Folding Oty, Pair - 01 Nounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Oty, Pair - 01					, , , , , , , , , , , , , , , , , , , ,	1
9 0661778						1
10 0620357					J.L.	1
11 0537375 12 0030006 Bid Bond Not Requested 13 0050066 Performance Bond, 100% Req'd (Statement by Rep) 14 0000007 Approval Drawing 15 0002928 Electrical Diagrams 16 0564230 Velocity Chassis, PUC (Big Block), 2010 Wheelbase Wheelbase - 227.5" 18 0000070 GVW Rating GVW rating - 56,300 pounds Frame Rails, 13.38 x 3.50 x 375, Qtm/AXT/Imp/Vel/DCF 20 0756525 Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp, Full Length, 56"Qv Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel 22 0010427 Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf 30 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf Oil Seals, Front Axle 17 (198611 Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF 30 00485 Oil Seals, Rear Axle 10 0585004 Tires, Rear Goodyear, G298 WHA, 315/80R22.50, 20 ply, Single Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single Tire Slancing, Nothing Required Oty, Pair - 01 Mountting Brackets, Chocks, SAC-44-E, Folding, Horizontal Oty, Pair - 01 Mountting Brackets, Chocks, SAC-44-E, Folding, Horizontal Oty, Pair - 01 Mountting Brackets, Chocks, SAC-44-E, Folding, Horizontal						1
12 0030006   Bid Bond Not Requested   Performance Bond, 100% Req'd (Statement by Rep)						1
13 0050066						1
14 000007 15 0002928 Electrical Diagrams 16 0564230 Velocity Chassis, PUC (Big Block), 2010 Wheelbase Wheelbase - 227.5"  18 0000070 GVW Rating GVW rating - 56,300 pounds Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF 20 0756525 Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp, Full Length, 56"Qv Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel 22 0010427 Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf 30 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 010 Seals, Front Axle 25 0594821 Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF 28 0544244 Top Speed of Vehicle, 60 MPH Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf 011 Seals, Rear Axle Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single Tire Balancing, Nothing Required  Oty, Tire Pressure Sensor - 6 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal				•	p)	1
Electrical Diagrams					•	1
Velocity Chassis, PUC (Big Block), 2010				• • • • • • • • • • • • • • • • • • • •		1
17 0000110				_		1
Wheelbase - 227.5"   GVW Rating				· · · · · · · · · · · · · · · · · · ·		1
18 0000070   GVW Rating   GVW rating - 56,300 pounds   Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF   Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp, Full Length, 56"Qv   Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel   Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf   Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   Oil Seals, Front Axle   Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply   Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot   Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF   Top Speed of Vehicle, 60 MPH   Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf   Oil Seals, Rear Axle   Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single   Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single   Tire Balancing, Nothing Required   Tire PSI and Temp Monitoring System, 2" Gauge   Qty, Tire Pressure Sensor - 6   Chocks, Wheel, SAC-44-E, Folding   Qty, Pair - 01   Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal   Qty, Pair - 01   Qty, Pair - Qty,	•	0000110				
19 0000203         Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF           20 0756525         Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp, Full Length, 56"Qv           21 0508849         Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel           22 0010427         Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf           23 0087572         Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf           24 0000322         Oil Seals, Front Axle           25 0594821         Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply           26 0019611         Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot           27 0598516         Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF           28 0544244         Top Speed of Vehicle, 60 MPH           29 0122073         Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf           30 0000485         Oil Seals, Rear Axle           31 0585004         Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single           32 0654750         Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single           33 0642999         Tire PSI and Temp Monitoring System, 2" Gauge           Qty, Tire Pressure Sensor - 6           50 0544802         Chocks, Wheel, SAC-44-E, Folding           Qty, Pair - 01           Mounting Brackets, Chocks, SAC-44-E, Folding, Horizon	18	0000070		*		1
19 0000203 Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF 20 0756525 Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/Vel/Imp, Full Length, 56"Qv 21 0508849 Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel 22 0010427 Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf 23 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 24 0000322 Oil Seals, Front Axle 25 0594821 Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply 26 0019611 Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 27 0598516 Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF 28 0544244 Top Speed of Vehicle, 60 MPH 29 0122073 Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf 30 0000485 Oil Seals, Rear Axle 31 0585004 Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single 32 0654750 Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single 33 0642999 Tire Balancing, Nothing Required 34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge Qty, Tire Pressure Sensor - 6 35 0544802 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01				GVW rating - 56,300 pounds		
21 0508849 22 0010427 23 0087572 24 0000322 25 0594821 26 0019611 27 0598516 28 0544244 29 0122073 30 0000485 31 0585004 32 0654550 33 0642999 34 0746449 35 0544806 29 015086 Asksorbers (CNI), Tak-4, Non Drive, 22,800 lb, Imp/Vel/DCF/Enf 27 0598516 38 Axle, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 39 0544806 30 0544806 31 0544806 32 0544806 33 0544806 34 Axle, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 39 0122073 30 0000485 30 0000485 30 0000485 30 0642999 31 0746449 32 06544806 33 0642999 34 0746449 35 0544806 36 0544806 37 O548806 38 Axle, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 39 084890 Axle, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 30 08585004 30 08595	19	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Ve		1
22 0010427         Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf           23 0087572         Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf           24 0000322         Oil Seals, Front Axle           25 0594821         Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply           26 0019611         Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot           27 0598516         Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF           28 0544244         Top Speed of Vehicle, 60 MPH           29 0122073         Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf           30 0000485         Oil Seals, Rear Axle           31 0585004         Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single           32 0654750         Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single           33 0642999         Tire Balancing, Nothing Required           34 0746449         SP         Tire PSI and Temp Monitoring System, 2" Gauge           Qty, Tire Pressure Sensor - 6         Chocks, Wheel, SAC-44-E, Folding           Qty, Pair - 01         Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal           Qty, Pair - 01	20	0756525		Frame Liner, Internal "C" 12.50" x 3.00" x .25", XT/	Vel/lmp, Full Length, 56"Qv	1
23 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 24 0000322 Oil Seals, Front Axle 25 0594821 Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply 26 0019611 Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 27 0598516 Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF 28 0544244 Top Speed of Vehicle, 60 MPH 29 0122073 Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf 30 0000485 Oil Seals, Rear Axle 31 0585004 Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single 32 0654750 Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single 33 0642999 Tire Balancing, Nothing Required 34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge Qty, Tire Pressure Sensor - 6 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01	21	0508849				1
24 0000322       Oil Seals, Front Axle         25 0594821       Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply         26 0019611       Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot         27 0598516       Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF         28 0544244       Top Speed of Vehicle, 60 MPH         29 0122073       Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf         30 0000485       Oil Seals, Rear Axle         31 0585004       Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single         32 0654750       Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single         33 0642999       Tire Balancing, Nothing Required         34 0746449       SP       Tire PSI and Temp Monitoring System, 2" Gauge         Qty, Tire Pressure Sensor - 6       Chocks, Wheel, SAC-44-E, Folding         36 0544806       Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal         Qty, Pair - 01	22	0010427				1
25 0594821         Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply           26 0019611         Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot           27 0598516         Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF           28 0544244         Top Speed of Vehicle, 60 MPH           29 0122073         Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf           30 0000485         Oil Seals, Rear Axle           31 0585004         Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single           32 0654750         Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single           33 0642999         Tire Balancing, Nothing Required           34 0746449         SP         Tire PSI and Temp Monitoring System, 2" Gauge           Qty, Tire Pressure Sensor - 6         Chocks, Wheel, SAC-44-E, Folding           36 0544806         Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal           Qty, Pair - 01	23	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel	/DCF/Enf	1
26 0019611 Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 27 0598516 Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/DCF 28 0544244 Top Speed of Vehicle, 60 MPH 29 0122073 Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf 30 0000485 Oil Seals, Rear Axle 31 0585004 Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single 32 0654750 Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single 33 0642999 Tire Balancing, Nothing Required 34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge Qty, Tire Pressure Sensor - 6 35 0544802 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01	24	0000322		Oil Seals, Front Axle		1
27 0598516	25	0594821				1
28 0544244 Top Speed of Vehicle, 60 MPH 29 0122073 Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf 30 0000485 Oil Seals, Rear Axle 31 0585004 Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single 32 0654750 Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single 33 0642999 Tire Balancing, Nothing Required 34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge Qty, Tire Pressure Sensor - 6 35 0544802 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01	26	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum,	Hub Pilot	1
29 0122073 Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Dash CF/Enf 30 0000485 Oil Seals, Rear Axle 31 0585004 Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single 32 0654750 Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single 33 0642999 Tire Balancing, Nothing Required 34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge Qty, Tire Pressure Sensor - 6 35 0544802 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01	27	0598516		Axle, Rear, Meritor RS30-185, 33,500 lb, Imp/Vel/I	DCF	1
30 0000485 31 0585004 32 0654750 33 0642999 34 0746449 3P Tire PSI and Temp Monitoring System, 2" Gauge  Qty, Tire Pressure Sensor - 6  Chocks, Wheel, SAC-44-E, Folding  Qty, Pair - 01  Oil Seals, Rear Axle  Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single  Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single  Tire Balancing, Nothing Required  Tire PSI and Temp Monitoring System, 2" Gauge  Qty, Tire Pressure Sensor - 6  Chocks, Wheel, SAC-44-E, Folding  Qty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal  Qty, Pair - 01	28	3 0544244		Top Speed of Vehicle, 60 MPH		1
31 0585004 Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single 32 0654750 Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single 33 0642999 Tire Balancing, Nothing Required 34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge  Qty, Tire Pressure Sensor - 6 35 0544802 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01	29	0122073		Suspen, Rear, Standens, Spring, 33,500 lb, Imp/V	el/Dash CF/Enf	1
32 0654750 Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single 33 0642999 Tire Balancing, Nothing Required 34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge  Qty, Tire Pressure Sensor - 6 35 0544802 Chocks, Wheel, SAC-44-E, Folding  Qty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal  Qty, Pair - 01	30	0000485				1
33 0642999 Tire Balancing, Nothing Required 34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge  Qty, Tire Pressure Sensor - 6 35 0544802 Chocks, Wheel, SAC-44-E, Folding  Qty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal  Qty, Pair - 01	31	0585004		Tires, Rear, Goodyear, G289 WHA, 315/80R22.50	, 20 ply, Single	1
34 0746449 SP Tire PSI and Temp Monitoring System, 2" Gauge  Qty, Tire Pressure Sensor - 6  35 0544802 Chocks, Wheel, SAC-44-E, Folding  Qty, Pair - 01  Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal  Qty, Pair - 01	32	2 0654750		Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Alu	minum-Steel, Hub Pilot, Single	1
Qty, Tire Pressure Sensor - 6 35 0544802 Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01 36 0544806 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01	33	3 0642999		Tire Balancing, Nothing Required		1
35 0544802 Chocks, Wheel, SAC-44-E, Folding  Qty, Pair - 01  36 0544806 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal  Qty, Pair - 01	34	1 0746449	SP	Tire PSI and Temp Monitoring System, 2" Gauge		1
36 0544806 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal  Qty, Pair - 01	38	5 0544802				1
Qty, Pair - 01				Qty, Pair - 01		4
Qty, Pair - 01 Location, Wheel Chocks - Left Side Rear Tire, Forward and Rearward	36	6 0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, F	lorizontal	1
Location, Wheel Chocks - Left Side Rear Tire, Forward and Rearward				Qty, Pair - 01		
					r Tire, Forward and Rearward	1
37 0010670 ABS Wabco Brake System, Single rear axle	3	7 0010670		ABS Wabco Brake System, Single rear axie		'

Line	Option	Type	Option Description	Qty
	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
39	0000740		Brakes, Meritor, Cam, Rear, 16.50 x 8.63"	1
40	0058463		Air Compressor, Brake, Bendix 15.8 CFM	1
41	0000786		Brake Reservoirs, Four	1
42	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
	0000790		Brake Lines, Nylon	1
	0000858		Inlet/Outlet, Air, w/Disconnect Fitting	1
			Location, Air Coupling(s) - h) DS Pump Panel	
			Qty, Air Coupling (s) - 1	
45	0615609		Fittings, Compression Type, Entire Apparatus, Single Rear Axle	1
46	0610846		Engine, DDC DD13, 505 hp, 1750 lb-ft, W/OBD, EPA 2016, REPTO, Velocity	1
47	0001244		High Idle w/Electronic Engine, Custom	1
48	0590300		Engine Brake, Jacobs Compression Brake, DD13	1
			Switch, Engine Brake - f) DD13	
49	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
50	0123135		Air Intake, w/Ember separator, Imp/Vel	1
	0565965		Exhaust System, 5", 2010 DD13, ISX engine, Horizontal, Right Side	1
	0633743		Exhaust, Modified for MagneGrip System, 6.00" Diffuser, Flush w/Rub Rail, CARE	1
	0644333		Exhaust, Modified and Flush with Body Side Rub Rail	1
	0787999		Radiator, Impel/Velocity	1
	0511425		Cooling Hoses, Rubber	1
	0770792		Fuel Tank, 65 Gallon, Left Side Fill, Common Air Bottle Door	1
	0110102		Finish - Polished	
57	0001129		Lines, Fuel	1
	0662965		DEF Tank, 4.5 Gallon, DS Fill, Rear of Axle, Common Air Bottle Door	1
	0552777		Fuel Pump for Repriming	1
	0552567		Shutoff Valve, Fuel Line @ Fuel Tank	1
	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
	0665235		Door, Fuel Fill with Cap Holder, No Chain	1
	0690880		No Selection Required From This Category	1
	0642582		Trans, Allison 5th Gen, 4000 EVS P, w/Prognostics, Imp/Vel/DCF/SFR/Enf	1
			Transmission, Shifter, 6-Spd, Push Button, 4000 EVS	1
	0625331		Transmission Programming, Park to Neutral, PUC	1
	0517604		Transmission Oil Cooler, Modine, External	1
	0684459		Mode, Downshift, Aggressive downshift to 3rd, w/engine brake, 6 speed	1
	0522824		Fluid, 4000/4500 Series Transmission, TranSynd synthetic, IPOS, Custom	1
	0565656		·	1
	0001375		Driveline, Spicer 1810	1
	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
	2 0001544		Not Required, Steering Assist Cylinder on Front Axle	1
	0509230		Steering Wheel, 4 Spoke without Controls	1
74	0690274		Logo/Emblem, on Dash	•
			Text, Row (1) One - Pinellas Park	
			Text, Row (2) Two - Fire Department	
71	0024674		Text, Row (3) Three - n/a Lube System, Vogel, 22 Point, w/TAK-4 Suspension	1
73	5 0034671			•
74	0634335		Location - RS battery box Bumper, 26" Extended, Under Slung, Recessed Xlays/Trays, 12"H Qtm Style,	1
/ (	6 0624225		Imp/Vel	·
7	7 0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
	3 0002270		Tow Hooks, Chrome	1
	0738295	SP	Tray, Ext Width, 26" Bumper, Under Slung, 12" H Bumper, Corners,	1
• •	, 0,00200	•	AXT/DCF/SFR/Enf	
			Grating, Bumper extension - Grating, Rubber	
8	0067702		Receiver, Portable Winch, At Front Bumper, 10K Pull, w/Power	1
8	1 0739480	SP	Cover, 8.5" Raised AlumTreadplate, Extended WidthTray, Corner,Under Slung	1
			Bumper	
			Type of fastener - D ring latch on each side	
			Stay arm, Tray Cover - c)Pneumatic Stay Arm, Dual	1
8:	2 0659634		Light, Amdor, AY-9220-31, 30.63" LED Strip Light, Front Bumper Cover	ı
			Qty, - 01	

	Option	Type	Option Description	Qty
83	0516238		Partition, Adjustable, Aluminum in Hose Tray, Qty, Location	1
			Location - 24" from PS bumper tray interior wall. adjustable 6" to the either side from the 24" mark. to separate 100' 1.75" to the PS of partition and TNT tools to the DS	
9.4	0653812		Qty, - 01 Cab, Velocity FR, 8410 Raised Roof, PUC	1
-	0668309		Engine Tunnel, ISL and DD13, Impel/Velocity FR	1
	0677478		Rear Wall, Exterior, Cab, Aluminum Treadplate	1
	0122466		Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel	1
	0123176		Grille, Bright Finished, Front of Cab, Impel/Velocity	1
	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
	0546711		Material Trim/Scuffplate - c) S/S, Polished Scuffplate, S/S Behind Cab Door Handle, Exterior, Vel/Imp/DCF/Enf/SFR 4 Door	1
			Material Trim/Scuffplate - c) S/S, Polished	1
91	0527032		Trim, S/S Band, Across Cab Face, Rect Lights, Velocity  Material Trim/Scuffplate - e) S/S, Patterned  Turnsignal Covers - Polished S/S Covers	,
92	0087357		Molding, Chrome on Side of Cab	1
93	0032129		Mirrors, Moto-Plus, Heated/Remote, w/Convex	1
94	0667921		Door, Half-Height, Velocity FR 4-Door Cab, Raised Roof	1
			Key Model, Cab Doors - 751	
95	0655511		Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
96	0667905		Storage Pockets w/ Elastic Cover, Recessed, Impel/Velocity FR	1
97	0667902		Controls, Electric Windows, All Cab Doors, Impel/Velocity FR	1
98	0606691		Steps, 4-Door Cab, Dual, 2" Larger Middle and Bottom Steps, Imp/Vel Light, Step, Additional - P25 LED	1
99	0770200		Handrail, Exterior, Hansen, Knurled, Alum, LED Backlit, 4-Door Cab	1
			Color, Handrail Light - Red Control, Handrail Light - Cab Switch and Parking Brake	
100	0509649		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1Lt Per Step	1
	0002140		Fenders, S/S on Cab	1
	0199512		Window, Side of C/C, Fixed, Front of Crew Cab Doors Only, 84"/104" Vel/imp	1
	0552934		Trim, Cab Side Windows, 84" Velocity	1
	0012090		Not Required, Windows, Front/Side of raised roof	1
	0509286		Not Required, Windows Rear of Crew Cab, Imp/Vel	1
	0558334		Not Required, Trim, Cab Rear Windows, No Rear Windows	1
	0742387	SP	Compt, Storage, 13 W x 30 H x 20 D, (1) Each Side C/C, Dbl Pan Dr, 84" Vel PUC	1
			Light, Aux Cab Compartments - Pierce, Hinged Side Finish, Exterior Cab Compt - Spatter Gray Door, Cab Exterior Cabinet - Double Pan, (2), Locking #751 Door, Exterior Stop - 2-Web Strap	
108	0756230	SP	Work Surface, 3/16" Alum, Full Eng Tnl, 60.75" L, Lower Lip, Vel/Imp FR	1
			Location - Engine tunnel  Material Finish, Cab Interior - Painted	
			Lip - 2.00"	
109	0748671		Cab Interior, Vinyl, Velocity FR, CARE	1
110	0667943		Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Light Gray Cab Interior, Paint Color, Impel/Velocity FR	1
444	0682140		Color, Cab Interior Paint - a) gray Floor, Alum Cab & Crew Cab, Include Vertical Floor Surfaces, AXT/Imp/Vel, CARE	1
	2 0741239		HVAC, Impel/Velocity, CARE	1
			Paint Color, A/C Condenser - Painted by OEM HVAC System, Filter Access - Removable Panel Auxiliary Cab Heater - Both	
113	3 0640651	SP	Air Conditioning, Čoleman Mach 3, 120V, 13.5K Cool Only, Thermostat Loc,Cab Roof	1
114	1 0048711		Location - up high on PS wall behind the officer's seat Guard, Brush, Treadplate, For Coleman A/C Unit, Cab Roof	1
118	5 0639675		Location - on top of the crew cab roof Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer	1
			Sun Visor Retention - No Retention	4
	6 0543257		Grab Handles, Driver Door Post & Passenger Dash Panel, Imp/Vel	1
	7 0002526		Light, Engine Compt, All Custom Chassis	1

Line C	Option	Туре	Option Description	Qty
118 0	122516		Fluid Check Access, Imp/Vel	1
119 0	0002508		Map Box, 3 Bin/30 deg Slant, Custom Chassis	1
			Qty, - 1	
			Location, Map Box/Straps - Final Inspection	
	0583040		Frontal Impact Protection	1
	0699999		Not Required, Frontal Impact Protection, 2010	1
	0699998		Not Required, Side Roll Protection Package, 2010	1
	0622619		Seating Capacity, 4 Seats	1
	0697006		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Frontal Impact	1 1
	0696991		Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Frontal Impact	1
	0002517		Not Required, Radio Compartment Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Base, SCBA	1
	0123153 0102783		Not Required, Seat, Rr Facing C/C, Center	1
	0123156		Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Base, SCBA	1
	0742534	SP	Cabinet, Fwd Fcng, LS, 25.5 W x 54 H x 25 D,Roll,Ext Acc,Sp Ltch Loc,Imp/Vel PUC	1
			Scuffplate, Door Pan, Material/Finish - S/S, Polished	
			Material Finish, Shelf - Painted - Cab Interior	
			Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip	
			Door, Cab Exterior Cabinet - Double Pan, Rev. Hinged, Locking #751	
			Door, Exterior Stop - Web Strap	
			Door, Cab Interior Cabinet - Rollup, Gortite, Anodized, Locking #751	
			Light, Tall Cabinet - Pierce, Exterior, Left Side Louvers, Cabinet - 0-No Louvers	
131 (	0742389	SP	Cabinet, Forward Facing, Center, 42 W x 49 H x 25 D, Roll, Imp/Vel	1
			False Floor, EMS Cabinet - No False Floor	
			Light, Short Cabinet - Pierce, Interior, Right Side and Pierce, Interior, Left	
			Side	
			Material Finish, Shelf - Painted - Cab Interior	
			Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip	
			Door, Cab Interior Cabinet - Rollup, Gortite, Anodized, Locking #751  Louvers, Cabinet - 0-No Louvers	
132 (	0742529	SP	Cabinet, Fwd Fcng, RS, 25.5 W x 54 H x 25 D,Roll,Ext Acc,Sp Ltch Loc,Imp/Vel PUC	1
			Scuffplate, Door Pan, Material/Finish - S/S, Polished	
			Material Finish, Shelf - Painted - Cab Interior	
			Finish, Exterior Cab Compt - Cab Interior	
			Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip	
			Door, Cab Exterior Cabinet - Double Pan, Rev. Hinged, Locking #751 Door, Exterior Stop - Web Strap	
			Door, Cab Interior Cabinet - Rollup, Gortite, Anodized, Locking #751	
			Light, Tall Cabinet - Pierce, Exterior, Right Side	
			Louvers, Cabinet - 0-No Louvers	
133 (	0732487	SP	Electric Door Lock, Cab Exterior Cabinet Door, Lap, 2 Switches	2
			Location - At each side crew cab	
			Qty, - 02	
13/1 (	0766467		Location 2 - on the Officer door, and on the PS crew door Upholstery, Seats In Cab, All Vinyl, Seats Inc, CARE	4
104 (	0100701		Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	
			Qty, - 04	
135 (	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	3
			Qty, - 03	
136 (	0603867		Seat Belt, ReadyReach	1
407	0004007		Seat Belt Color - Red	1
	0604867		Seat Belt Height Adjustment, 4 Seats, Imp/Vel, Dash CF	1
	0627014		Pick Not Required, Seat Belt Color Selected in Seat Belt Option 627339	1 1
	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016  Lights, Dome, FRP Dual LED 6 Lts	1
140 (	0647644			'
			Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black	
			Control, Dome Lt White - Door Switches	
			Control, Dome Lt Color - Lens Switch	
141 (	0628472		Light, Map, Overhead, Peterson M371S LED, Rectangular w/Switch 2lts	1
			12vdc power from - Battery switched	

. Line	Option	Type	Option Description	Qty
142	0602637		Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification	1
143	0568369		Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010, Dash CF	1
	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
	0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - Steady Alarm	
146	0509042		Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
171	0011001		Location, Emerg Sw Pnls - Driver's Side Overhead	•
148	0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity	1
	0548009		Wiring, Spare, 20 A 12V DC 1st	1
143	0040005		<del>-</del> ·	•
			Qty, - 01 12vdc power from - Battery direct	
			Wire termination - Butt Splice	
			Location, Spare Wiring - Center Console	
150	0797189		Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st	2
	0,0,,00		Qty, - 02	
			12vdc power from - Battery direct	
			Location - one at rear of wrap around console, one in the center of the	
			drop down wall of engine tunnel work surface	
151	0585913		Wiring, Spare, 20 A 12V DC, 6 Circuit Fuse Block, Blue Sea 5025 2nd	3
-			Qty, - 03	
			12vdc power from - Battery direct	
			Location - Rear (right) wall high and inboard RS1. One high and inboard	
			on rear wall of each forward facing exterior access crew compartment	
152	0629279		Wiring, Spare, 20 A 12V DC, 6 Circuit Fuse Block, Blue Sea 5025 3rd	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Location - Center forward facing EMS compartment, rear wall, high DS	
			corner	
153	0547960		Wiring, Spare, 40 A 12V DC 1st	1
100	0047500		<u> </u>	•
			Qty, - 01 12vdc power from - Battery direct	
			Wire termination - Stud	
			Location - behind Officer's seat	
154	0585914		Wiring, Spare, 20 A 12V DC, 6 Circuit Fuse Block, Blue Sea 5025 1st	1
	,		Qty, - 01	
			12vdc power from - Battery direct	
			Location - DS outboard wall, low, in between Driver seat and rear face	
			seat	
155	0790048		Wiring, Spare, 20 A 12V DC, 12 Circuit Fuse Block, Blue Sea 5032	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Location - PS outboard wall, low, in between Officer seat and rear face	
			seat	
			12vdc power from 2 - c) ignition power	- 82
156	0615386		Vehicle Information Center, 7" Color Display, Touchscreen, MUX	1
			System Of Measurement - US Customary	- 0
157	0734857		Collision Mitigation, HAAS Alert (R2V), HA5	1
			Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription	4
	0776356		Maintenance Reminder Message, Cab Decon, CARE	1
159	0606249		Vehicle Data Recorder w/CZ and Overhead Display Seat Belt Monitor	1
160	0003757		Antenna, Std and Add'l Mts Only, 2-way Radio, Cust, Spl Cable Routing	2
			Location - both cables to be ran to behind the officer's seat	
			Qty, - 02	
			Location 1 - two on PS roof, 12" apart Terminate the coax behind the	
			Officer seat with 15' of lead.	
161	0734049	SP	Camera, FRC, Mux, Inview360HD	1
			Location 1 - location 7 in the switch panel layout	
162	0796441		Pierce Command Zone, Advanced Electronics & Control System, LEDs, Vel, Blk	1
401	0624254		WiFi Electrical System, Velocity	1
			Batteries, (4) Exide Grp 31, 950 CCA ea, Threaded Stud	1
	0079166			1
105	0008621		Battery System, Single Start, All Custom Chassis	'

Line	Option	Туре	Option Description	Qty
	0123174		Battery Compartment, Imp/Vel	1
	0562594		Charger, Sngl Sys, Newmar, PUC12-35, 35A	1
168	0520227		Location, Charger, Pump Plumbing Area, PUC	1
169	0531403		Location, Bat Chrg Ind, Driver's Seat with Bracket	1
	0507624		Shoreline, 30A 120V, Kussmaul Auto Eject, 091-159-30-120, Super	1
			Qty, - 01	
			Color, Kussmaul Cover - h) black	
			Connection, Shoreline - battery charger, 110 A/C on the cab roof, and the	
			15 amp recept in RS1 & LS1	
171	0026800		Shoreline Location	1
			Location, Shoreline(s) - DS Cab Side	
172	0036802		Sub Feed Breaker Box Cutler Hammer, For Shoreline	1
			Location, CB Panel - recessed in the lower front wall of compartment LS4	
173	0009429		(Ref 34559) Electric Power Only, Portable Winch	2
113	0003423		Location - one (1) each side under compartments LS1 and RS1, near the	_
			receiver tubes	
			Qty, Receptacles - 02	
174	0566294		Alternator, 430 amp, Niehoff C680-1	1
175	0092582		Load Manager/Sequencer, MUX	1
			Enable/Disable Hi-Idle - d)High Idle disable	
176	0783153		Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel	1
			Color, Headlight Bez - Chrome Bezel	
177	0648425		Light, Directional, WIn 600 Cmb, Cab Cm, Imp/Vel/AXT/Qtm/DCF	1
			Color, Lens, LED's - m)match LED's	
178	0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
179	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
	0088869		Lights, Clearance/Marker/ID, Rear, Truck-Lite 26250R LED 7Lts	1
	0517025		Lights, Tail, Wrap-around, Stop/Tail, Turn & Backup LED, Tri-Cluster	1
182	0085910		Lights, Backup Included in Signal Cluster	1
183	0664481		Bracket, License Plate & Light, P25 LED	1
	0589905		Alarm, Back-up Warning, PRECO 1040	1
185	0687604		Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Grommet Mt	1
186	0617866		Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts	1
187	0683575		Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step	1
			Control, Perimeter Lts - Parking Brake Applied	
	0557322		Lights, Step, P25 at Rear Tailboard, PUC, 4lts Perm Lts	1
189	0649319		Special Switching, 12V Rear Scene Lights, Reverse Activation, Emerg Master ON	1
400	0776957		Location, Lights - rear work lights, match 34559	1
190	0776357		Light, Visor, Wln, 12V P*H2* Pioneer, Cnt Feature, 1st	'
			Qty, - 01	
			Location, driver's/passenger's/center - Centered Color, Win Lt Housing - Black Paint	
			Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS	
			Scene Light Optics - Flood/Spot	
191	0774309		Lights, Wln, P*H2* Pioneer, 12 VDC, 1st	1
			Location - DS Rear Of Cab Door (FR Cab & Qtm Only) 1lt	
			· · · · · · · · · · · · · · · · · · ·	
			Qty, - 01	
			Color, Win Lt Housing - Black Paint	
			Control, Scene Lts - Cab Sw Panel DS and Cab and Crew Cab Dr Sw, DS	
			Scene Light Optics - flood	
			Mount, Win II - Semi-recessed 0 deg P**2	
192	0774308		Lights, Wln, P*H2* Pioneer, 12 VDC, 2nd	1
			Location - PS Rear Of Cab Door (FR Cab & Qtm Only) 1lt	
			manufacture of the manufacture o	
			Qty, - 01	
			Color, Wln Lt Housing - Black Paint	
			Control, Scene Lts - Cab Sw Panel DS and Cab and Crew Cab Dr Sw,	
			PS	
			Scene Light Optics - flood	
			Mount, Wln II - Semi-recessed 0 deg P**2	

Line Option	Туре	Option Description	Qty
193 0774579	- 7 -	Lights, Wln, P*H2* Pioneer, 12 VDC, 1st	2
		Location - Driver side of body high, one rear, one forward	
		Qty, - 02	
		Color, Wln Lt Housing - Black Paint	
		Control, Scene Lts - Cab Sw Panel DS and Body Switch, DS Rear SS	
		Scene Light Optics - Flood	
194 0774296		Mount, Wln II - Semi-recessed 15 deg P**2 Housing, Recessed Light, Horizontal Mt	4
104 0114200		Location - on LS & RS side sheets for spacing the Pioneer side scene	•
		lights	
		Qty, - 04	
		Material, Bracket - Painted Aluminum	_
195 0774333		Lights, Wln, P*H2* Pioneer, 12 VDC, 2nd	2
		Location - Officer side of body high, one rear, one forward	
		Qty, - 02	
		Color, Wln Lt Housing - Black Paint Control, Scene Lts - Cab Sw Panel DS, Cab Sw Panel PS and Body	
		Switch, PS Rear SS	
		Scene Light Optics - Flood	
		Mount, Wln II - Semi-recessed 15 deg P**2	
196 0546064		Light, Deck, Unity AG, Frt HB, Other Scene Lts at Rear, PUC	1
197 0645670		Lights, Not Required, Hose Bed, Alt. Deck Light At Front Of Hose Bed	1
198 0633740		Light, Below Alum Hose Bed Cover, 63" LED Strip Light, Loc	2
		Location - high on HB cover, centered front to back on the covers	
		Qty, - 02	
199 0645714		Control, Hose Bed Lts - Auto Cover Sw Lights, Rear Scene, Win, 6SC0ENZR LED, 15 Deg Alum Brkt, 30" to 90" High	1
199 00437 14		Control, Rear Scene Lts - Cup Switch At Rear SS	•
200 0787447		Lights, Walk Surf, Dual LED Light Strips, Cargo Area, Bdy Stp Lt	1
201 0518282		Pumper, PUC, Aluminum	1
202 0554271		Body Skirt Height, 20"	1
203 0519696		Tank, Water, 500 Gallon, Poly, Rectangle, Form Fitting, PUC	1
204 0003405		Overflow, 4.00" Water Tank, Poly	1
205 0028104		Foam Cell Required	1
206 0633066		Sleeve, Through Tank	1
		Qty, Sleeve - 1	
		Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	
207 0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
208 0003429		Not Required, Direct Tank Fill	1
209 0003424		Not Required, Dump Valve	1
210 0048710		Not Required, Jet Assist	1
211 0030007		Not Required, Dump Valve Chute	1
212 0514778		Not Required, Switch, Tank Dump Master	1
213 0597043		Body Height, PUC/HDRP	1
044 0400044		Body Height - 92.00"	4
214 0199241		Hose Bed, Aluminum, Pumper, PUC Hose Bed Capacity, Special	1 1
215 0003481		· · · · · · · · · · · · · · · · · · ·	'
		Capacity, Hosebed - This will be from the PS to DS: 300' of 3" / 1150' of 5" / 200' of 2.5"	
		0 / 200 Ol mid	
216 0003488		Divider, Hose Bed, Unpainted	2
047 0500400		Qty, Hosebed Dividers - 2	1
217 0582169		Hose Restraint, Hose Bed, 2" Heavy Nylon Web, Hose Bed Frame, Rear	
		Type of fastener - seat belt buckle	
		Nylon Web Color - Black Type of fastener, Rear - seat belt buckle - bottom of hosebed	
218 0683793		Hose Bed Floor, Reinforced, Light Tower Mounting	1
219 0058033		Shelf, Hinged, In Hose Bed, Between Side Sheet	1
		Location - Reference engineers drawing for J# 34559	5.57
		Qty, - 1	
		Location, driver's/passenger's/center - Left	
220 0530804		Cover, Hose Bed, Alum Treadplate	1

Line	Option	Туре	Option Description	Qty
	0699946		Safety Cable(s), Hose Bed Cover	4
			Qty, - 04	
222	0611509		Running Boards, Flip Out, PUC	1
223	0689502		Tailboard, Folding, Space Saver - Smooth Alum Ext, Two Piece 8" Bumper,	1
004	0000000		PUC/HDRP	1
	0690029		Wall, Rear, Body Material, PUC, PUC Tanker, PRM, HDRP	1
	0003531		Tow Bar, Under Tailboard	1
	0656764		Construction, Compt, Alum, Pumper, PUC LS 214" Rollup, (1) 31" (1) 50.5" Fwd, (1) 52" Rr, FH/FD Front & Rear, PUC	1
	0515256 0515258		RS 214" Rollup, (2) 42" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
	0515256		Doors, Rollup, Gortite, Side Compartments	8
223	0092733		Qty, Door Accessory - 08	
			Color, Roll-up Door, Gortite - Painted to Match Lower Body Latch, Roll-up Door, Gortite - Locking, 751, AXT/Qtm/Dash CF/Saber	
220	0515270		Cab Compt, Rear, Rollup, 32.50" FF, w/Space Saver, PUC/HDRP	1
	0692740		Doors, Swing Tailboard/Gortite Rollup, Rear Compartment, PUC	1
231	0032740		Color, Roll-up Door, Gortite - Satin finish	·
			Latch, Roll-up Door, Gortite - Locking, 751, AXT/Qtm/Dash CF/Saber	
			Cab	
232	0642304		Electric Door Locks, Body Doors, Gortite	9
			Location - in the cab (tbd)	
			Location, Door Accessory - all body compartment doors	
222	3 0642303	SP	Qty, - 09 Master Control, Electric Door Locks, Body Drs and Cab Drs, Vel/Imp,DCF,Enf	1
	1 0689549	SF	Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door	9
234	0003543		Location - Each compt	_
			Qty, - 09	
235	5 0515685		214" Hatch, (2) Lift-up, 21" Wide, Both Sides, PUC	1
			Size, Hatch Compt, Height - 22.00"	
			Trim, Body/Hatch Compt Seam, Horizontal, Pair - Molding Trim, Body/Hatch Compt Seam, Vertical, Pair, PUC - Painted Smooth Weld	
236	0733446		Handrails, (3), Hatch Step Area, Straight, Hansen Knurled Aluminum LED Backlit	1
	0,00440		Switch, Handrail Light Control - With Cab Hand Rail Controls	
			Color, Light, Hansen Handrail - Red	
237	7 0687993		Lights, Hatch Compt, LED Strip Light, 214", Both Sides	1
238	8 0687145		Shelf Tracks, Recessed, PUC/3rd Generation	1
239	9 0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	10
			Qty, Shelf - 10	
			Material Finish, Shelf - Painted - Spatter Gray	
			Location, Shelves/Trays, Predefined - Location To Be Determined	2
241	0 0625885		Shelves, Adjustable, Low/Special Side Height, 3G	2
			Qty, Shelf - 02 Location, Shelf - wo (2) in front of the vertical partition in compartment	
			P3, with the lower at 15" to the bottom of the shelf to the floor	
			Shelf, Low Side Height, Front - 1"	
			Shelf, Low Side Height, Rear - 1"	
			Material Finish, Shelf - Brushed	
24	4 0700690		Shelf, Low Side Height, Right & Left - 1" Tray, 500 lb Slide-out, 2" Sides - Adj. Height, Predefined Locations	3
24	1 0709689		-	J
			Qty, Tray (slide-out) - 03  Location, Shelves/Trays, PredefinedLocation To Be Determined	
			Material Finish, Tray - Painted - Spatter Gray	
24	2 0709692		Tray, 215 lb, Tilt/Slide-Out, 30 Deg, Adj, Predefined Locations	2
			Qty, Tray (slide-out) - 02	
			Location, Shelves/Trays, PredefinedLocation To Be Determined and	
			LS2-Centered	
24	3 0627829		Material Finish, Tray - Painted - Spatter Gray Tray, Floor Mounted, Slide-Out, Full Width/Full Depth, Low/Special Sides, 3G	2
			Qty, - 02 location - TBD	
			Material - Painted - Spatter Gray	
			Tray, Low Side Height, Front - 1"	
			<u></u>	

Line	Option	Type	Option Description	Qty
243			Tray, Low Side Height, Rear - 1"	
			Tray, Low Side Height, Right & Left - 1"	
244	0544614		Toolboard, Swing-out, Alum, .188", Peg Board, 3G	1
			Qty - 1	
			Location, Pivot - Back	
			Mounting, Toolboard - Adjustable Frt-back Hole Diameter, Pegboard/Toolboard203" diameter	
			Finish, Pegboard/Toolboard - Painted - Spatter Gray	
			Location, Toolboard - RS2	
245	0768515	SP	Access Panel, Rear Wall/Rear Compt, Modified Cone Storage Recess, 9.75"	1
			Location - lower PS comer of B1	
246	0733980	SP	Compt, Under Front Body, Left Side, w/Slide Drawer, 214" PUC	1
247	0733992	SP	Material, Drawer Face, Under Body Compt - Aluminum Treadplate Compt, Under Front Body, Right Side, w/Slide Drawer, 214" PUC	1
248	0511677	SP	Material, Drawer Face, Under Body Compt - Aluminum Treadplate Divider, Vertical, Track Mounted, 3/16" Alum	1
			Location - in the equipment storage compartment above the crosslays Qty, - 01	
			Fill in Blank - full height of equipment storage compartment	
249	0044903		Netting, Retention 1.00" Nylon Strap, Side Fastened, 2.00" Box Pattern	1
			Location - RS3 on right side of vert partition. Will attach to lower adj shelf	
			and go to top of compt	
			Qty, - 1	
ったり	0511157		Type of fastener - spring clip and hook Cover, Over Cascade Bottles in Hatch Compt	2
200	0011107	10	Location - Upper hatches DS and PS forward Use minimal screws to	_
			mount Resolve is mounting bottles after final inspect  Qty, - 02	
251	0594051		Compt, Hatch, Reinforcement for Air Bottle Storage	2
			Location - DS and PS forward hatches Resolve specialty installing 6000	
			UN bottles Two in each upper hatch compt	
			Ensure holes are drilled and tapped for mounting brkts	
252	0535876	SP	Qty, - 02 Open Design, Partition, Hatch Compt, PUC	1
	0600281	01	Partition, Vertical Compartment, Predefined Locations	4
200	QQOOLOT		Qty, Partition - 04	
			Location, Partition/Toolboard, PredefinedLocation To Be Determined	
			Material Finish, Partition - Painted - Spatter Gray	
254	0755638		Pegboard, Back Wall Mounted, 3/16" Alum, Full Height	3
			Qty, Comp. Accessory - 03	
			Hole Diameter, Pegboard/Toolboard203" diameter	
			Finish, Pegboard/Toolboard - Painted - Spatter Gray	
255	0027096		Location, Compartment, Predefined - LS1, LS3 and RS2 Rack, Air Bags inside Compt, Each	1
∠55	0021080		Location - built into the air back racks. Dept allowing Pierce to design the	3
			most efficient and compact rack configuration	
			Qty, Comp. Accessory - 01	
			Size - 20" x 10" x 10"	
			Finish -	102
256	0675511		Rack, Air Bags inside Compt, 9-Slot	1
			Location - TBD, Pierce to design the most compact rack configuration	
			Size - 36" x 36" (circle) x 4"	
			12" x 21.5" x 32"	
			Qty 2, 24"x 24" (circle) x6" 14" x 42" x 1"	
			Qty 2, 19" x 19" x 1"	
			15.5" x 15.5"	
			Finish -	
257	0696957		Hitch, Receiver, Sides, Under Body, Pumper	
	3 0063064		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
259	9 0515441		Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3rd Gen	1.5
			transcript Electric Electric Linear Deleted Dedu Meterial	
	0519849		Material Finish, Fender Liner - Painted - Body Material Not Required, Hose, Hard Suction	

	•			
	Option	Type	Option Description	Qty
261	0611527		Handrails Located @ Front Body, Hansen Knurled Alum LED Backlit	1
			Switch, Handrail Light Control - With Cab Hand Rail Controls	
000	0504760		Color, Light, Hansen Handrail - Red	1
	0521763		No Handrail Required, Beavertail, PUC	1
263	0004136		Handrail, Rear, Above Hose Bed	1
264	0657522		Handrail Finish - Knurled	3
204	003/322		Compt, Air Bottle, Triple, Fender Panel	3
			Qty, Air Bottle Comp - 3 Door Finish, Fender Compt - Polished	
			Location, Fender Compt - Triple - LS Fwd, Triple - RS Fwd and Triple -	
			RS Rear	
			Latch, Air Bottle Compt - Southco C2 Chrome Raised	
			Insert, Air Bottle Compt - Rubber Matting	
265	0654143		Compt, Air Bottle, Single, Common Triple Door (DEF/Fuel), Fender Panel	1
			Door Finish, Fender Compt - Polished	
			Latch, Air Bottle Compt - Southco C2 Chrome Raised	
000	0004040		Insert, Air Bottle Compt - Rubber Matting	8
200	0024210		Storage Bin, Air Bottle	O
			Location, Bracket/comp TBD	
267	0004225		Qty, Bottle Bin - 08 Ladder, 24' Duo-Safety 900A 2-Section	1
	0004230		Ladder, 14' Duo-Safety 775A Roof	11
	0638382		Rack, Ladders, LS Full Depth Body, PUC/HDRP	1
203	0000002		Door, Material & Finish, Ladder Storage - smooth aluminum	·
			Latch, Door Ladder Storage - Southco C2 Chrome Flush, Pair	
270	0014245		Ladder, 10' Duo-Safety Folding 585A, w/Mounting	1
			Location, Folding Ladder - Ladder Compartment	
271	0602877		Pike Pole, Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Fire Hooks Unlimited 8' All Purpose Hook	
272	0602875		Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Fire Hooks Unlimited 6' All Purpose Hook	
273	0539402		Compt, Pike Poles/Fld Ldr in Upper Bdy (1) LS, Long Storage (1) RS, SA,	1
074	0050402		PUC/HDRP Tubes, Alum, Pike Pole Storage, Spcl Notch, NY PP Head	2
2/4	0058193		- · · · · · · · · · · · · · · · · · · ·	-
			Location - Long Tool Storage Compt PS Qty, Pike Pole Tubes - 02	
275	0521734		No Steps Required, Front Of Body, PUC	1
	0515519		Ladder, Top Access, Alum, RH Rear, PUC	1
	0515695		Pump, Pierce, 1500 GPM, Single Stage, PUC	1
	0515822		Seal, Mechanical, Silicon Carbide, PUC Pump	1
	0515705		Gear Case, Pierce Pump, REPTO-Clutch Drive	1
	0521309		Pumping Mode, Pump and Roll/Stationary, Basic, PUC	1
	0515829		Pump Shift, Sure-Shift	1
	0515833		Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC	1
	0515835		Auxiliary Cooling System, PUC	1
	0014486		Not Required, Transfer Valve, Stage Pump	1
285	0777650		Valve, Relief Intake, Akron	1
			Pressure Setting - 125 psig	
			Intake Relief Valve Control - Behind Right Side Pump Panel	
286	0515838		Controller, Pressure, Pierce, PUC	1
287	0072153		Primer, Trident, Air Prime, Air Operated	1
288	0780359		Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump	1
289	0602496		Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC	1
290	0795135		Plumbing, Stainless Steel, w/Foam System	1
291	0517852		Inlets, 6.00" - 1500 GPM, Pierce PUC Pump	1
292	2 0004646		Cap, Main Pump Inlet, Long Handle, NST, VLH	1
293	3 0084610		Valves, Akron 8000 series- All	1
294	0004660		Inlet, Left Side, 2.50"	1
295	0004680		Inlet, Right Side, 2.50"	1
296	0520002		Valve, Inlet(s) Recessed, Side Cntrl, PUC	2
			Qty, Inlets - 2	
	7 0521137		Anode, Zinc, Pair, Pump Inlets, PUC	1
298	3 0004700		Control, Inlet, at Valve	1

12 10 17		_		04.
	Option	Type	Option Description	Qty
	0092569		No Rear Inlet (Large Dia) Requested	1
	0092696		Not Required, Cap, Rear Inlet	1
	0064116		No Rear Inlet Actuation Required	1
	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
	0092568		No Rear Auxiliary Inlet Requested	1
	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
	0520277		Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC	- 1
	0595508		Outlet, Tank Fill, 1.50", PUC	1
	0516755		Outlet, Left Side, 2.50" (2), PUC	1
308	0766761		Outlet, Right Side, 2.50", (1), Electric Akron 9335 Controller, PUC	1
			Qty, Discharges - 01	
	0766992		Outlet, Right Side, 4" w/4" Valve, Akron 9335 Elec Controller, PUC	1
310	0607659		Outlet, Front, 1.50" w/2" Plumbing, Special Under Slung Bumper	1
			Fitting, Outlet - 1.50" NST with 90 degree swivel	
			Drain, Front Outlet - Automatic	
			Location, Front, Single - in right bumper tray	1
311	0516777		Outlet, Rear, 2.50", (1), Thru Tank, PUC	'
			Qty, Discharges - 01	
0.40	0507004		Location, Outlet - a) right side	1
	0537394		Not Required, Outlet, Rear, Additional, PUC	1
	0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	
	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
	0539271		Elbow, Left Side Outlets, 30 Degree, 2.50"FNST x 2.50" MNST, VLH, PUC	1
316	0539269		Elbow, Right Side Outlets, 30 Degree, 2.5" FNST x 2.5" MNST, VLH, PUC	1
317	0045091		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
318	0537395		Not Required, Elbow, Rear Outlets, Additional	1
319	0527969		Cap, Large Dia Outlet, 4.00", IPO Elbow	1
320	0766941		Control, Outlets, Swing Handle, Elec Right Outlets Akron 9335 w/Press Disp, PUC	1
321	0516860		Outlet, 3.00" Deluge w/2.50" Valve, PUC	1
322	2 0029302		No Monitor Requested	1
323	3 0029304		No Nozzle Req'd	1
324	1 0005070	~	Deluge Mount, NPT	1
325	0750985		Crosslay Module, Full Width, PUC	1
326	0749369		Hose Restraint, Crosslay, 1"Nylon Web, Bar and Hook, PUC	1
			Fastener, Hose Restraint - Spring Clip & Hook - Paired with Bar and	
			Hook	
			Qty, Bar - Two Bars	
327	7 0750916		Crosslays, (2) 1.50", W/Poly Trays, PUC	1
			Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 1.75" double jacket hose	
328	3 0747055		Not Required, 2.50" Crosslay	1
329	9 0733556	SP	Equipment Storage, Full Width, Trans, Above Xlays, w/BB Storage, PUC	1
			Door, Material & Finish, Storage - Aluminum Treadplate	
			Latch, Door, Storage - Southco C2 Chrome Raised	
	0 0032137		Foam Sys, External	1
33	1 0012126		Not Required, CAF Compressor	1
332	2 0552517		Not Required, Refill, Foam Tank	1
333	3 0755781		Foam Outlet(s), 1.00", Cam-Lock, Location, With 0.25" Flush	1
			Location - primary	
			Qty, Foam Outlets - 01	
			Location 2 - On PUC pump panel Not on operators panel	1
	4 0042573		Not Required, Foam System Demonstration	1
33	5 0530519		Foam Cell, 30 Gallon, Not Reducing, PUC	ı
			Type of Foam - Class "B"	
			Foam, Brand Name - National	4
	6 0091036		Drain, 1.00" Foam Tank #1	1
	7 0091079		Not Required, Foam Tank #2	1
33	8 0091112		Not Required, Foam Tank #2 Drain	1
33	9 0746445		Approval Dwg, Pump Operator's Panel, Includes Color And Label Tags	1
			Num Of Truck(s) or Sim Unit, OPER Pump Pnl, Dwg - 01	
34	0 0515692		Pump Operators Panel, 31", Control Zone, PUC	1

Line Option	Type Option Description	Qty
341 0519215	Pump Panel Configuration, Control Zone, Special Layout Information	-
	Fill in Blank - Customer wants the electric controls for the PS outlets	
	mounted as high as possible on panel with the 15 degree blocks installed on	
342 0516975	them Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless,	•
242 0546070	PUC	
343 0516978	Pump and Plumbing Access, Simple Tilt Service, PUC	
344 0520016	Not Required, Pumphouse Structure, PUC	
345 0520326	Light, Pump Compt, PUC	•
346 0516983	Gauges, Engine, Included With Pierce Pressure Controller, PUC	•
347 0005601	Throttle, Engine, Incl'd w/Press Controller	
348 0739224	Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle, Green	'
349 0549333	Indicators, Engine, Included with Pressure Controller	
350 0080713	Control, Air Horn At Pump Panel w/Red Button, Labeled "Evacuation"	•
351 0763096	Fittings, Compression IPO PTC, All Pump Panel Gauges	•
352 0001750	Tag, Special Colors	7
	Qty, Gauges/Disc 07	
	Color, Discharge Tag - No.1 Crosslay-BLUE, No.2 Crosslay-GREEN,	
	Front Discharge-YELLOW, RS Rear-RED, No.1 DS discharge-LIGHT PURPLE,	
252 0544070	No.3 DS discharge-BROWN, PS LD discharge-LIGHT BLUE	
353 0511078 354 0511100	Gauges, 4.00" Master, Class 1, 30"-0-600psi Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	
355 0756688	Gauge, Water Level, Pierce, In pressure Controller, w/Mini Slave, PUC, Lt Driver	
256 0750420	Activation, Water Level G - pb) parking brake is applied	:
356 0750438	Water Level Gauge, Win PSTANK2, LED 1-Light, 4-Level	•
	Qty, - 02	
	Activation, Water Level G - pb) parking brake is applied Location, Water Level Gauge - Each Side Custom Cab - Most Rearward	
	Color, Trim - Chrome Trim	
357 0062992	Gauge, Foam Level, (1) Tank, Class 1, 5lt	
358 0520243	Light, Pump Operator & Panel, Side Ctrl, PUC	
359 0793576	Air Horns, (2) Grover, Stutter Tone, 2040 Rect, Through Underslung Bumper	
333 0133310	Flange	
360 0606835	Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	
361 0016065	Control, Air Horn, Horn Ring, PS Chrome Push Button	
362 0525667	Siren, Wln 295SLSA1, 100 or 200 Watt	
363 0510206	Location, Elect Siren, Recessed Overhead In Console	
	Location, Elec Siren - Overhead, Above Eng Tunnel DS	
364 0016145	Control, Elec Siren, Horn Ring, PS Push Button	
365 0601302	Speaker, (1) Win, SA315P, 100 watt	
	Connection, Speaker - siren head	
366 0601556	Location, Speaker, Frt Bumper, Recessed, Left Side, Outside Frame, Inbrd (Pos 6)	
367 0675701	Siren, Federal Q2B, Park Brake Interlock	
368 0656160	Location of Siren, Recessed in Under Slung Bumper, w/Enclosure	
	Location, Siren, Mech - c) center	
369 0026170	Control, Mech Siren, DS Foot Sw, PS Push Button	
370 0740834	Sw, Siren Brake, Momentary Red, LS Overhead Sw Pnl	
371 0023656	Grille, Speaker, Front Bumper,S/S	
	Qty, - 1	
372 0607496	Lightbar, Win, Freedom IV-Q, 81", RRRRRRRWRRWRRRRRRR	
	Filter, Whl Freedom Ltbrs - No Filters	
373 0691523	Wiring Only, Opticom Emitter, Location	
	Location - DS of lightbar	
	Opticom Activation - Cab Switch & E-Master	
	Momentary Opticom Activation - no activation	
374 0540460	Light, Front Zone, Win M6*C LED, Clear Lens, 4lts Q Bezel	
	Color, Lt DS Frnt Outside - DS Front Outside Red	
	Color, Lt PS Frnt Outside - PS Front Outside Red	
	Color, Lt DS Front Inside - r) DS Front Inside Red	
	Color, Lt PS Front Inside - r) PS Front Inside Red	
375 0540692	Lights, Side Zone Lower, WIn M6*C LED, Clear Lens, 3pr, Ovr 25	
	Location, Lights Front Side - b)each side bumper	
	Color, Lt Side Front - Red	
	Color, Lt Side Middle - Red	
9/7/2020 E-E6	7.14.074	

. Line	Option	Type	Option Description	Qty
375			Color, Lt Side Rear - Red	
			Location, Lights Mid Side - Rearward of Crew Cab Doors	
			Location, Lights Rear Side - Over Rear Wheels	
376	0747011		Lights, Door Interior Flash, 4 Dr Cab, Wln M4** LED, Features	1
			Color, Lights, Warning - c) amber	
			Color, Lens, LED's - Clear Color, Trim - Chrome Trim	
377	0540769		Lights, Side, Win M6*C LED, Clear Lens, 1st	2
			Location, Lights - between cab and crew cab doors, each side, as shown	
			on AD print	
			Qty, - 02	
270	0540783		Color, Lights, Warning - gla) red Lights, Rear Zone Lower, Wln M6*C LED	1
370	0040763		Color, Lt DS Rear - r) DS Rear Lt Red	'
			Color, Lt PS Rear - r) PS Rear Lt Red	
379	0540799		Lights, Rear, Win M9*C LED, Clear Lens	2
			Color, Light - ae) red	
			Location, Rear Lights - Rear compt bulkheads	
			Qty, - 02	
200	0754220		Control, Light - a) rear upper warning Lights, Rear, Wln M6** LED, Features 1st	2
300	0754220		Location - each side at the rear of the body inside the taillights	2
			Qty, - 02	
			Color, Lights, Warning - Red Flashing	
			Control, Light - a) rear upper warning	
			Color, Lens, LED's - Clear	
004	0707070	00	Color, Trim - Chrome Trim	1
381	0737076	SP	Lights, Rear/Side Up Zone, Wln M9** M9V2** M9** M9**, 4lts	'
			Color, Lens, LED's - Clear Color, Lt, Side Rear Upper DS - Red	
			Color, Lt, Side Rear Upper PS - Red	
			Color, Lt, Rear Upper DS - r) DS Rear Upper Red	
			Color, Lt, Rear Upper PS - Red	
			Control, Scene Lts - Cab Sw Panel DS and Body Switch, DS Rear SS	
202	0006551		Color, Trim - Chrome Trim Not Required, Lights, Rear Upper Zone Blocking	1
	0006551		No Hose Bed Warn Light Brackets Req'd, Lights Mtd on Hatch Compts, Pumper	1
	0791528		Light, Traffic Directing, Win TAL65, 36.00" Long, TACTL5	1
	0.0.020		Activation, Traffic Dir L - Aux Flash with Emergency Master	
385	0551728		Location, Traf Dir Lt, Recessed with S/S Trim	1
386	0530282		Location, Traf Dir Lt Controller, Overhead Switch Panel DS Right End	1
387	0006646		Electrical System, 120/240VAC, General Design	1
388	0516618		Generator, Harrison 10kW MCR Hydraulic, Hot Shift PTO	1
			Generator Interlocks - Parking Brake	_
389	0517171		Location, Hydraulic Generator, Cargo Area, Front of Body, PRM/PUC	1
			Location, Generator - DS Mount in an area where deck gun will not be affected	
390	0016752		Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl	1
391	0016757		Not Required, Remote Start, Generator	1
392	0016740		Not Required, Fuel System	1
393	0016767		Not Required, Oil Drain Extension, Generator	1
394	0016771		Not Required, Routing Exhaust, Generator	1
395	0520107		Circuit Breaker Panel, Included With PTO Generator, PUC	1
			Location, CB Panel - recessed in the front wall of compartment D3	1
396	6 0643830		Light Twr, CL SL442A-RT, 120 Volt AC LED, Cld 4lts	'
			Light, Strobe, Lt Tower - n) No Strobe Lt on Light Tower	
			Back Light - No Back Lighting Light, Model LED AC - Whelen PFP2AC	
			Color, Tower, CL - Gray with Black Lts	
397	0664468		Location, Light Tower, Front Hose Bed	1
398	3 0664794		Controller, Light Tower, Command Light, Wired Handheld	1
	0664791		Location, Light Tower Controller, Driver's Side Front Body Compartment	1
400	0533795		Alarm, Light Mast Up, Truck Horn	1

Line	Option	Туре	Option Description	Qty
	0006825		Reel, Elect Cable, Hannay, 1600, (3) Wire	2
			Qty, Cord Reels - 2	
			Reel Guide - a) Nylatron guide	
		15	Finish, Reel - Painted Gray	
			Location, Electric Cord Reel - DS Hatch Compartment, Rear, 1 Reel and PS Hatch Compartment, Rear, 1 Reel	
402	0006828		Cord, Electric, 10/3 Yellow, 3 Wire	2
			Lengths of Elect Cord - 2	
			Feet of Yellow Cord - c)150	
			Connection, Cord - Hubbell 20A 120V Twst Lock	•
403	0780309		Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, 4 place, Interior Cab	3
			Qty, - 03	
			Location 1 - centered on the back wall of each EMS compartment AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall Plate(s)	
404	0779722		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	2
			Qty, - 02	
			Location 1 - RS3, and LS1, centered on the front wall and 12" off the floor	
			AC Power Source - Shoreline	
405	0540547		Cover, Receptacle - Interior SS Wall Plate(s)	1
	0519547		Brand, Hydraulic Tool System, TNT IHT Hydraulic System, Harrison Hydra-Qube	1
406	0606173			'
			Location - dunnage area Bypass - Without Thru-Pump	
407	0655667		Power Supply, TNT, Twin-PTO, Hydraulic Motor, Twin Power Unit, 10,500 PSI	1
	*		Qty, - 01	
			Location, Power Unit - dunnage area	
			Remote Valve - a) With Remote Valve	
408	0652372		Hose, Hydra., Polyflex, 20'-30', 10K, (Mineral Oil), Connection	2
			Qty, - 02	
			Brand, Model, Age of Tool - 2020 TNT Color, Hydraulic Hose 1 - b) yellow/black	
			Color, Hydraulic Hose 1 - b) yellow/black Color, Hydraulic Hose 2 - d) red/black	
			Color, Hydraulic Hose 3 - n) no hose required	
			Location - power unit to reels	
			Color, Hydraulic Hose 4 - n) no hose required	
			Color, Hydraulic Hose 5 - n) no hose required	
400	0652752		Color, Hydraulic Hose 6 - n) no hose required Reel, Hyd, Hannay, Front Bumper, 100' Cap., .25" Dual Hose (Any Make Tool)	2
409	V002/32		Qty, Reel - 2	_
			Brand, Model, Age of Tool - 2020 TNT	
			Reel Guide - a) Nylatron guide	
410	0649736		Not Required, Hydraulic Tools	1
411	0507314		Valve, Shut-off, RV-120, Hydraulic System, Compatible with TNT	2
			Location - at each reel	
			Qty, - 02	
412	0007150		Bag of Nuts and Bolts	1
445	00000046		Qty, Bag Nuts and Bolts - 1 NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire	1
413	0602516		Department	
414	0519913		Not Required, Soft Suction Hose	1
415	0027023		No Strainer Required	1
416	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire	1
			Department	1
417	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016,Provided by Fire Dept	'
418	0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
	0559573		Paint, Single Color, Custom	1
			Paint Color, Predefined - Red 114	
421	0646901		Paint Chassis Frame Assy, With Liner, E-Coat, Standard	1
			Paint Color, Frame Assembly, Predefined - Standard Black	_
422	0693797		No Paint Required, Aluminum Front Wheels	1
423	0687653		Paint, Rear Wheels, Single Axle, Alum-Stl	1
			Paint, Wheels - Black #101	

Line	Option	Туре	Option Description	Qty
	0733739		Paint, Axle Hubs	1
425	0594533		Paint, Axle Hub - Primary Job Color Paint, Grille, Mesh Only, AXT/Vel/Imp/DCF/SFR/Enf	1
			Color, Paint - Black 101	
426	0007230		Compartment, Painted, Spatter Gray	1
427	0544087		Reflective Band, 6"	1
			Color, Reflect Band - A - e) black	
428	0510041		Reflective across Cab Face, Imp/Vel	1
429	0592434		Stripe, Chevron, Rear, Diamond Grade, Pumper, PUC w/ Space Saver - Covered	1
430	0027341		Color, Rear Chevron DG - fluorescent yellow green Jog, In Reflective Stripe, Single or Multiple	1
			Qty, - 1	
431	0679883		Stripe, Printed Effect Gold Leaf Outline Above & Below Reflective Band	1
432	0567374		Stripe, Black Outline each Chevron Stripe @ Rear (Not Warranted)	1
433	0019160		Stripe, Reflective, 4" Additional on Front Bumper	1
			Color, Reflect Band - A - e) black	
434	0552453		Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade	1
			Color, Reflect Band - A - r) red diamond grade	
			Size, Chevron Striping - 04	
			Color, Reflect Chev - A - t) fluorescent yellow green diamond grade	4
	0027372		Lettering Specifications, (GOLD STAR Process)	1
436	0685693		Lettering, Printed Effect Gold Leaf, 3.00", Each	12
			Qty, Lettering - 12	
			Outline, Lettering - Outline and Shade	1
437	0613122	SP	Lettering, Website Address, Reflective, G/L Effect, Pair	'
			Location, Lettering - D1/P1	
400	0005500		Qty, - 01	1
438	0685538		Lettering, Printed Effect Gold Leaf, 9.00", (21-40)	
439	0685598		Outline, Lettering - Outline and Shade Lettering, Printed Effect Gold Leaf, 3.00", (81-100)	1
440	0685562		Outline, Lettering - Outline and Double Shade Lettering, Printed Effect Gold Leaf, 5.00", Each	8
			Qty, Lettering - 08	
			Outline, Lettering - Highlight and Shade	4
441	0685525		Lettering, Printed Effect Gold Leaf, 12.00", Each	7
			Qty, Lettering - 04	
445	0685989		Outline, Lettering - Outline and Shade Lettering, Reflective, 11.00", Each	3
442	0000303		Qty, Lettering - 03	
			Outline, Lettering - Outline	
443	0759768	SP	Emblem, American Flag, B & W w/one red stripe, Gerber Vision, Pair, Mirror Image	1
-1-70	, 0, 00, 00	•	Location, Emblem - crew cab windows	
444	0755303		Artwork File, Provided on Custom USB Drive	1
	0684225		Emblem, Maltese Cross, Printed Effect Gold Leaf, 9"-11", Pair	1
			Qty, - 01	
			Location, Emblem - behind crew cab door - up high	
446	6 0684219		Emblem, Maltese Cross, Printed Effect Gold Leaf, 18"-20", Pair	1
			Qty, - 01	
			Location, Emblem - one (1) each side on cab doors	
44	7 0769765		Lettering, Numerals, Grille, Painted w/ Outline (2)	1
44	8 0031972		Manuals, Two (2), Fire Apparatus Parts, Custom Chassis	1
44!	9 0002905		Manuals, (2) Chassis Service, Custom	1
450	0 0032433		Manuals, Two (2) Chassis Operation, Custom	1
45	1 0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
45	2 0611136		Warranty, Chassis, 3 Year, Velocity/Impel, WA0284	1
	3 0696696		Warranty, Engine, Detroit DD13, 5 Year, WA0180	1
	4 0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
-	5 0595767		Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038	1
	6 0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
	7 0733306		Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384	1
	8 0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
	9 0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
40				

·Line	Option	Type	Option Description	Qty
460	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
461	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
462	0744215		Warranty, FRC, 360 Camera System	1
463	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
464	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
465	0685945		Warranty, Transmission Cooler, WA0216	1
466	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
467	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
468	0693127		Warranty, Gortite, Roll-up Door, 6 Year, WA0190	1
469	0516693		Warranty, Pump, Pierce, PUC, 6 Year Parts, 1 Year Labor, WA0039	1
470	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
471	0641372		Warranty, Foam System, Not Available	1
472	0609981		Warranty, Harrison Generator, 6 Year, WA0285	1
473	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
474	0595421		Warranty, Goldstar, 3 Year, Apparatus, WA0018	1
475	0683627		Certification, Vehicle Stability, CD0156	1
476	0610837		Certification, Engine Installation, Velocity, Detroit DD13, 2016, CD0148	1
477	0686786		Certification, Power Steering, CD0098	1
478	0667417		Certification, Cab Integrity, Velocity FR, CD0009	1
479	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
480	0548967		Certification, Windshield Wiper Durability, Impel/Velocity, CD0005	1
481	0667411		Certification, Electric Window Durability, Velocity/Impel FR, CD0004	1
482	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
483	0735950		Certification, Cab HVAC System Performance, Velocity/Impel FR, CD0166/CD0168	1
484	0545073		Amp Draw Report, NFPA Current Edition	1
485	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
486	0799248		Appleton/Florida BTO	1
487	0000048		PUMPER/TANKER, 3rd Gen	1
	0000012		PIERCE CHASSIS	1
	0562778		DD13 ENGINE	1
	0046396		EVS 4000 Series TRANSMISSION	1
491	0520324		PIERCE PUMP, PUC	1
	0020009		POLY TANK	1
	0028047		NO FOAM SYSTEM	1
	0020006		SIDE CONTROL	1
	0020007		AKRON VALVES	1
	0020015		ABS SYSTEM	1
	0658751		PUMPER BASE	1