

Call Us first, for all of your Fleet Automotive, & Light Truck needs.

NWW ALANJAY COM 34036-3

 PHONE (800) ALANJAY (252-6529)
 DIRECT 863-402-4234
 WWW.ALANJAY.COM 34036-2

 Corporate Office Office
 2003 U.S. 27 South Sebring, FL 33870
 MOBILE 863-991-4693 FAX 863-402-4221
 Mailing Address Sebring, FL 33871-9200

ORIGINAL QUOTE DATE 10/13/2021

# **QUICK QUOTE SHEET**

REVISED QUOTE DATE 10/29/2021

REQUESTING AGENCY PINELLAS PARK, CITY OF

CONTACT PERSON NEIL SMITH EMAIL nsmith@pinellas-park.com

PHONE 727-369-5734 MOBILE 727-214-7836 FAX

PHONE	121-	369-5734	MOBILE <b>727-214-783</b> 6	6 FAX				
Florida	State Term C	ontract No.	25100000-19-1	Motor Vehicles	www.m	yflorida	marketpla	ce.com
CUSTOM								
MODEL		06 1FL 9C1		SPECIFICAT		25101702	Line	
	2021 CHEVY TAH	IOE POLICE 2WI	)	BE	D LENGTH	SUV		PRICE
** All vehicle	es will be ordered wh	nite w/ darkest inte	erior unless clearly stated other	rwise on purchase ord			MSRP	520.00 COST
FACTORY	OPTIONS		DESCRIPTION	ON			MON	
GAZ		TERIOR COLOR SUM					\$0.00	\$0.0
H1T	JET	BLACK CLOTH SEA	ΓTRIM				\$0.00	\$0.0
9C1	730	ocold-cranking amp	ncludes, (K47) high-capacity air cle os auxiliary battery, electrical pow ront floor. Auxiliary bat	., , .	•	, (K4B)	\$0.00	\$0.0
AMF			RY PACKAGE includes 4 additional rogramming remotes is not a war		_		\$125.00	\$106.2
5Y1	fro pov are	m RPO (AZ3) 40/20 wer outlet, USB por a will remain untrir	seat) delete power driver and pa /40 split-bench seat with the 20% t and input jack for audio system. nmed. (Requires (BG9) Black rubb B30) color-keyed carpeting floor c	section removed, which also Does not include a floor conserized vinyl floor covering. N	removes the ausole. All exposed	ıxiliary I floor	\$0.00	\$0.0
6C7	LIG	HTING, RED AND W	/HITE FRONT AUXILIARY DOME. L ncandescent) (Requires 5W4)		n front row seat	S.	\$165.00	\$140.2
6J7	Fla	sher system, headla	imp and taillamp, DRL compatible	with control wire.			\$49.00	\$41.6
VK3	FRO	ONT LICENSE PLATE	BRACKET FACTORY ORDERED				\$0.00	\$0.0
MY22	202	22 MODEL YEAR PR	OVIDED.				\$300.00	\$255.0
PQA	Wa	rning, (UHY) Auton	ludes: (UEU) Forward Collision Ale natic Emergency Braking, (UKJ) Fro Juires (9C1) Police Vehicle.Not ava	ont Pedestrian Braking and (U	JE4) Following	ure	\$390.00	\$331.5
5T5	CLC	OTH FRONT SEATS \	VITH VINYL REAR SEATS				\$0.00	\$0.0
9G8	DA	YTIME RUNNING LA	MPS DISABLED				\$49.00	\$41.6
6N5	REA	AR WINDOWS IN-O	P				\$56.00	\$47.6
6N6	REA	AR DOOR LOCKS AN	D HANDLES IN-OP				\$61.00	\$51.8
				FACTORY	OPTIONS		\$1,195.00	\$1,015.7
				MSRP I	DISCOUNT ##	####	(\$179.25)	
				ADJUSTED FACTORY	OPTIONS		\$1,015.75	\$1,015.7
CONTRA	CT OPTIONS		DESCRIPTION				. ,	. ,
RS 4	Stic	ck on rain shields (4	-doors).				\$120.00	\$120.0
ACTIVATE	RE-	ACTIVATE REAR DO	OOR HANDLE / WINDOW SWITCHS	TO ALLOW DOOR FUNCTION	N.		\$105.00	\$105.0
DT2 SUV	Dee	ep tint film installed	on front two door glass only.				\$170.00	\$170.0
WSTP	Wii	ndshield strip					\$40.00	\$40.0
CGP-CHEV	CU	STOM GRAPHICS PA	ACKAGE INSTALLED ON TAHOE WI	TH BUMPER CHEVRONS & S	IMULATED GOLI	D LEAF.	\$1,100.00	\$1,100.0
TP TAH- WBCON18-	FB Inc	ludes floorplate and	wide-body console with 7'' slope / d faceplates, 4'' dual cup internal b dded file box with large leather pa	peverage holder, (2) DC outle	ts & (1) dual-po		\$1,170.00	\$1,170.0
FACE PLATE	ES (2)	MOTO APX6500 2P	C RADIO AND (1) WHELEN CENCO	OM CONTROLLER.			\$0.00	\$0.0



Florida State To	erm Contract No. 25100000-19-1 Motor Vehicles www.myflori	damarketpla	ace.com
TP COMP-UNIV-SL	TROY PRODUCTS computer mount with easy one-handed operation and slide arm, bolts to troy console. (DOCKING STATION NOT INCLUDED).	\$500.00	\$500.00
WPLB-2L-CORE-21	Whelen Legacy lightbar with full DUO LED modules, two wire controlled traffic advisor, (2) LED flashing/takedown lights, (2) LED flashing/alley lights, mounting kit, Cencom CORE 21-button digital combination light/Siren Controller, SYNC module, OBDII interface, (1) expansion module, (1) external amplifier for dual tone siren, and (2) SA315P siren speakers wtih mounting brackets.	\$4,850.00	\$4,850.00
GREEN	LIGHT BAR TO HAVE RED/WHITE FRONT, GREEN / RED ENDS FOR USE IN COMMAND, RED / AMBER REAR FOR AMBER TRAFFIC ADVISOR. PROGRAM SOLID FRONT WHITE BUTTON FOR USE AS SCENE LIGHTING.	\$0.00	\$0.00
W HOWLER WEC-X	Whelen low frequency supplemental siren, with vehicle specific mounting bracket.	\$740.00	\$740.00
W TLI2-2-FOG-RW	(2) Whelen ION "T" series DUAL color ultra thin light heads surface mounted in fog light area (RED/WHITE).	\$400.00	\$400.00
W M4-2-R	(2) Whelen M4 series SOLID color light heads with black surround, mounted horizontally on sides of front bumper in front of wheel well (RED).	\$485.00	\$485.00
B HALO6-R	(2) Brooking Industries HALO6 diode hide away LED kit consists of 2 lightheads, 2 black bezels, & flasher module. Can be mounted under exterior rear view mirrors for intersection lighting (RED).	\$390.00	\$390.00
W TLI2-2-HATCH- RW	(2) Whelen DUAL color ION series light heads mounted to under side of rear hatch to be visible with gate raised (RED/AMBER).	\$400.00	\$400.00
W PELCB-2	(2) WHELEN PERIMITER ENHANCEMENT LIGHT INSTALLED TO REAR LIFT GATE WITH SWITCH.	\$630.00	\$630.00
W STRIPLT-4-LB- RQG	(4) Whelen Strip-Light LED light solo color light heads with (2) 90 deg mounting L-brackets (RED) mounted in rear quarter glass with one at top and one at bottom.	\$710.00	\$710.00
ANT-GPS-OPTI- CMD-INST	INSTALL CUSTOMER PROVIDED (4) ROOF ANTENNA'S, (1) GPS PUCK ANTENNA, COMMAND POST & OPTICOM. (2) APX 6500 REMOTE HEAD RADIO'S, (1) VHF RADIO, (1) BRIDGE RADIO, (2) PORTABLE RADIO CHARGERS, RADIO SPEAKERS,	\$975.00	\$975.00
KUSSMAUL-DUAL	KUSSMAUL 51-03-1204 auto eject charging System for emergency vehicles with two batteries. KIT includes 2000w onboard charger, charge indicator, auto eject plug, and aluminum weather resistant ejector housing. Includes installation of auto eject plug & housing near driver side rear bumper (must specify on PO if desired installation different than specified)	\$1,600.00	\$1,600.00
PLUG	CUSTOMER REQUESTS BLACK EJECTOR PLUG COVER.	\$0.00	\$0.00
806-1210- COMMAND	XANTREX 1000W pure sine inverter mounted in customer provided command cabinet with ignition sourced remote / user control mounted on dash mounted on dash. (Alternate mounting location may be required due to clearance.) Includes freight and installation, appropriate gauge wire for distance from battery, heat shrink connectors and wire loom.	\$635.00	\$635.00
7-PORT	7-PORT USB 3.0 WITH 30' USB CABLE RUN FROM COMPUTER MOUNT STAND ON CONOLE TO USB HUB IN CARGO AREA.	\$325.00	\$325.00
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00	\$0.00
INSTALL	INSTALLATION OF ALL EQUIPMENT MENTIONED ON THIS QUOTE.	\$0.00	\$0.00
OGD	OPTION GROUP DISCOUNT	(\$570.75)	(\$570.75
	CONTRACT OPTIONS	\$14,774.25	\$14,774.25

**TRADE IN** \$49,310.00 **TOTAL COST** 

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~

\$0.00

\$98,620.00

Extended: \$22,086.82

QTY

2

TOTAL COST LESS TRADE IN(S)

Estimated Annual payments for 60 months paid in advance: \$11,043.41

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments

VEHICLE QUOTED BY **SCOTT WILSON FLEET SALES MANAGER** scott.wilson@alanjay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time. I am always happy to be of assistance.



Note:Photo may not represent exact vehicle or selected equipment.

### **Window Sticker**

#### SUMMARY

[Fleet] 2021 Chevrolet Tahoe (CC10706) 2WD 4dr Commercial

MSRP:\$48,300.00

Interior:Jet Black, cloth seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic

#### **OPTIONS**

<b>U</b>	.0.10			
	CODE	MODEL		MSRP
	CC10706	[Fleet] 2021 Chevrolet Tahoe (CC10706) 2WD 4dr Commercial		\$48,300.00
		OPTIONS		
	1FL	Commercial Preferred Equipment Group		\$0.00
	5J3	Calibration, Surveillance Mode interior lighting	Inc.	
	5J9	Calibration taillamp flasher, Red/White	Inc.	
	5LO	Calibration taillamp flasher, Red/Red	Inc.	
	5T5	Seats, front cloth and second row vinyl		\$0.00
	5Y1	(DISCONTINUED) Front center seat (20% seat) delete		\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.

			<b>#</b> 470.00
6C7	Lighting, red and white front auxiliary dome		\$170.00
6J7	Flasher system, headlamp and taillamp, DRL compatible with control wire		\$50.00
6N5	Switches, rear window inoperative		\$57.00
6N6	Door locks and handles, inside rear doors inoperative		\$62.00
9C1	Identifier for Police Package Vehicle		(\$4,300.00)
9G8	Headlamps, Daytime Running Lamps and automatic headlamp control delete		\$50.00
AAC	Parts shipped loose	Inc.	
AMF	Remote Keyless Entry Package		\$75.00
ATD	Seat delete, third row passenger	Inc.	
AX2	Key, unique	Inc.	
AZ3	Seats, front 40/20/40 split-bench		\$0.00
C5Z	GVWR, 7200 lbs (3266 kg)	Inc.	
FE9	Emissions, Federal requirements		\$0.00
GAZ	Summit White		\$0.00
GU5	Rear axle, 3.23 ratio		\$0.00
H1T	Jet Black, cloth seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen		\$0.00
J55	Brake system, heavy duty	Inc.	
K3W	Battery, 900 cold-cranking amps with 95 amp hour rating	Inc.	
K6K	Battery, auxiliary, 760 cold-cranking amps with 70 amp hour rating	Inc.	
KX4	Alternator, 220 amps	Inc.	
L84	Engine, 5.3L EcoTec3 V8		\$0.00
MQC	Transmission, 10-speed automatic		\$0.00
PQA	1FL Safety Package		\$395.00
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel	Inc.	
R9Y	Fleet Free Maintenance Credit.		(\$33.75)
RAV	Tire, spare P275/55R20 all-season, blackwall, Firestone Firehawk Pursuit	Inc.	
RC1	Skid plate, front	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.

	SUBTOTAL		\$44,825.25
	Protected idle	Inc.	
	Seat belts, 3-point, all seating positions	Inc.	
	Power supply, 120-amp, (4) 30-amp circuit, Primary battery	Inc.	
	Power supply, 100-amp, auxiliary battery, rear electrical center	Inc.	
	Power supply, 50-amp, power supply, auxiliary battery	Inc.	
	Theft-deterrent system, vehicle, PASS-Key III	Inc.	
	Instrumentation, analog	Inc.	
	Exterior ornamentation delete	Inc.	
	Capless Fuel Fill	Inc.	
Z56	Suspension Package, heavy-duty, police-rated	Inc.	
XCS	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit	Inc.	
WUA	Fascia, front high-approach angle	Inc.	
VZ2	Speedometer calibration	Inc.	
VXT	Incomplete vehicle	Inc.	
VQ2	Fleet processing option		\$0.00
VPV	Ship Thru, Produced in Arlington Assembly and shipped to Kerr Industries and onto Arlington Assembly		\$0.00
VK3	License plate front mounting package		\$0.00
V53	Luggage rack side rails, delete	Inc.	
V03	Cooling system, extra capacity	Inc.	
UT7	Ground wires, blunt cut cargo area and blunt cut console area	Inc.	
JKJ	Front Pedestrian Braking	Inc.	
UHY	Automatic Emergency Braking	Inc.	
UHX	Lane Keep Assist	Inc.	
UEU	Forward Collision Alert	Inc.	
UE4	Following Distance Indicator	Inc.	
T66	Wiring provision, for outside mirrors and cargo side mirrors	Inc.	
RNQ	center cap		

**SUBTOTAL** \$44,825.25

Adjustments Total \$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.

Destination Charge \$1,695.00

TOTAL PRICE \$46,520.25

#### **FUEL ECONOMY**

Est City:16 MPG

Est Highway:20 MPG

Est Highway Cruising Range:480.00 mi

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.

# **Standard Equipment**

Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)  Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (STD)  Rear axle, 3.23 ratio  Suspension Package, Premium Smooth Ride (STD)  GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD)  Automatic Stop/Start (Not available with (9C1) Police Vehicle.)  Engine control, stop/start system disable button, non-latching  Engine air filtration monitor  Fuel, gasoline, E15  Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2° trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		
aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)  Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including towhaul (STD)  Rear axle, 3,23 ratio  Suspension Package, Premium Smooth Ride (STD)  GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD)  Automatic Stop/Start (Not available with (9C1) Police Vehicle.)  Engine control, stop/start system disable button, non-latching  Engine air filtration monitor  Fuel, gasoline, E15  Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2° trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools	Mechanical	
including tow/haul (STD)  Rear axle, 3.23 ratio  Suspension Package, Premium Smooth Ride (STD)  GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD)  Automatic Stop/Start (Not available with (9C1) Police Vehicle.)  Engine control, stop/start system disable button, non-latching  Engine air filtration monitor  Fuel, gasoline, E15  Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		
Suspension Package, Premium Smooth Ride (STD) GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD) Automatic Stop/Start (Not available with (9C1) Police Vehicle.) Engine control, stop/start system disable button, non-latching Engine air filtration monitor Fuel, gasoline, E15 Differential, mechanical limited-slip Rear wheel drive Air filter, heavy-duty Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil Battery, 800 cold-cranking amps with 80 amp hour rating Alternator, 220 amps Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver Trailer sway control Hitch Guidance Suspension, front coil-over-shock with stabilizer bar Suspension, rear multi-link with coil springs Steering, power Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Exhaust, single system, single-outlet		
GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD)  Automatic Stop/Start (Not available with (9C1) Police Vehicle.)  Engine control, stop/start system disable button, non-latching  Engine air filtration monitor  Fuel, gasoline, E15  Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Rear axle, 3.23 ratio
Automatic Stop/Start (Not available with (9C1) Police Vehicle.)  Engine control, stop/start system disable button, non-latching  Engine air filtration monitor  Fuel, gasoline, E15  Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2* trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet Mechanical Jack with tools		Suspension Package, Premium Smooth Ride (STD)
Engine control, stop/start system disable button, non-latching  Engine air filtration monitor  Fuel, gasoline, E15  Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD)
Engine air filtration monitor  Fuel, gasoline, E15  Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Automatic Stop/Start (Not available with (9C1) Police Vehicle.)
Fuel, gasoline, E15  Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Engine control, stop/start system disable button, non-latching
Differential, mechanical limited-slip  Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Engine air filtration monitor
Rear wheel drive  Air filter, heavy-duty  Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Fuel, gasoline, E15
Air filter, heavy-duty Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil Battery, 800 cold-cranking amps with 80 amp hour rating Alternator, 220 amps Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver Trailer sway control Hitch Guidance Suspension, front coil-over-shock with stabilizer bar Suspension, rear multi-link with coil springs Steering, power Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Exhaust, single system, single-outlet Mechanical Jack with tools		Differential, mechanical limited-slip
Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator  Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Rear wheel drive
Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil  Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Air filter, heavy-duty
Battery, 800 cold-cranking amps with 80 amp hour rating  Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
Alternator, 220 amps  Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Battery, 800 cold-cranking amps with 80 amp hour rating
mated to a 7-way connector and 2" trailering receiver  Trailer sway control  Hitch Guidance  Suspension, front coil-over-shock with stabilizer bar  Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Alternator, 220 amps
Hitch Guidance Suspension, front coil-over-shock with stabilizer bar Suspension, rear multi-link with coil springs Steering, power Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Exhaust, single system, single-outlet Mechanical Jack with tools		
Suspension, front coil-over-shock with stabilizer bar Suspension, rear multi-link with coil springs Steering, power Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors Exhaust, single system, single-outlet Mechanical Jack with tools		Trailer sway control
Suspension, rear multi-link with coil springs  Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Hitch Guidance
Steering, power  Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Suspension, front coil-over-shock with stabilizer bar
Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors  Exhaust, single system, single-outlet  Mechanical Jack with tools		Suspension, rear multi-link with coil springs
Exhaust, single system, single-outlet  Mechanical Jack with tools		Steering, power
Mechanical Jack with tools		Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
		Exhaust, single system, single-outlet
Exterior		Mechanical Jack with tools
	Exterior	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.

Exterior	
	Tires, 265/65R18SL all-season, blackwall (Standard with (PZX) 18" Bright Silver painted aluminum wheels only (STD)
	Wheel, full-size spare, 17" (43.2 cm) steel
	Tire, spare P265/70R17 all-season, blackwall
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, upper
	Fascia, front
	Luggage rack side rails, roof-mounted, Black
	Assist steps, Black with chrome accent strip
	Headlamps, LED
	Lamps, stop and tail, LED
	Mirrors, outside heated power-adjustable, manual-folding, body-color
	Mirror caps, body-color
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated
	Glass, windshield shade band
	Windshield, solar absorbing
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Door handles, body-color
	Liftgate, rear manual
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 8" diagonal color touchscreen AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system
	SiriusXM Radio delete
	Infotainment display, 8" diagonal touchscreen
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	Wireless Apple CarPlay/Wireless Android Auto

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.

Entertainment	
	4G LTE Wi-Fi Hotspot capable (Standard with (UE1) OnStar only. Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench (Not available with (D07) center floor console and (USR) USB data ports.) (STD)
	Keyless start, push button
	Seat adjusters, 8-way power includes 6-way power front passenger seat with 2-way power lumbar
	Seat adjusters, 10-way power includes 8-way power driver seat with 2-way power lumbar
	Seats, second row 60/40 split-folding bench, manual
	Seats, third row 60/40 split-folding bench, manual (Not available with (9C1) Police Vehicle.)
	Floor covering, Black rubberized vinyl (Deleted when (B30) floor covering is ordered.)
	Electronic Precision Shift
	Steering column, lock control, electrical
	Steering column, manual tilt and telescopic
	Steering wheel, urethane
	Steering wheel controls, mounted audio, Driver Information Center, cruise control and Forward Collision Alert following gap button (if equipped) (left backside Seek/Scan steering wheel radio buttons are inoperable; these 2 buttons can be repurposed for aftermarket emergency equipment)
	Driver Information Center, 4.2" diagonal color display includes driver personalization
	Rear Seat Reminder
	Door locks, power programmable with lockout protection and delayed locking (When ordered with (9C1) Police Vehicle or (5W4) Special Service Vehicle, Auto Lockout is disabled on driver door.)
	Keyless Open includes extended range Remote Keyless Entry
	Cruise control, electronic with set and resume speed
	Theft-deterrent system, content, electrical, unauthorized entry
	USB charging-only ports, 4, (2) located on rear of center console and (2) in 3rd row (1 left and 1 right side below quarter glass side window) (When ordered with (9C1) Police Vehicle, (2) type-C ports are moved to the rear of center seat base and (2) type-C are moved to the cargo area. Deleted when (A50) front bucket seats are ordered.)
	Window, power with driver Express-Up/Down
	Window, power with front passenger Express-Up/Down
	Windows, power with rear Express-Down
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.

Interior	
	Air conditioning, rear
	Defogger, rear-window electric
	Power outlets, 2, 120-volt, located on the rear of the center seat and rear cargo area
	Power outlet, front auxiliary, 12-volt, located in the center stack of instrument panel
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger illuminated vanity mirrors, sliding
	Assist handles, overhead, driver and front passenger, located in headliner
	Assist handles, front passenger A-pillar and second row outboard B-pillar (Deleted when SEO (7X2) left- and right-hand spotlamps or SEO (7X3) left-hand spotlamp are ordered.)
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. On Police/Special Service vehicles, the control switch is located in the roof console in lieu of the driver - and passenger-side door switch with delayed entry feature.
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Hill Start Assist
	StabiliTrak, stability control system with brake assist, includes traction control
Safety-Exterior	
	Daytime Running Lamps, reduced intensity low beam
Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An invehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions (Included and only available with (9C1) Police Vehicle. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.

Safety-Interior	
	Rear Park Assist
	Following Distance Indicator
	HD Rear Vision Camera
	Front Pedestrian Braking
	Lane Keep Assist with Lane Departure Warning
	Forward Collision Alert
	Door locks, rear child security, manual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions (Deleted when (ATZ) second row seat delete is ordered.)
	Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)
	Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on
MAADD ANTY	

#### **WARRANTY**

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000
Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 13790. Data Updated: May 17, 2021 11:37:00 PM PDT.